# Goldplay continues to intercept new silver-lead-zinc-gold mineralization from sampling of historical core at San Marcial

30.10.2018 | CNW

# Including 23 meters @ 160 gpt AgEq

VANCOUVER, Oct. 30, 2018 - Goldplay Exploration Ltd. (TSXV: GPLY, OTCQB: GLYXF) ("Goldplay" or the "Company") is pleased to announce positive results from sampling of the historical core drill holes completed in 2010 ("historical core"), from the Company's San Marcial Project in Mexico. The results support open pit potential for the initial 500-meter-long historical NI 43-101 resource area ("historic resource"). Results reveal a much wider mineralized zone along strike and down-dip than originally modelled in the historic resource with opportunities for expansion.

- 61.0 meters (true width 47.8 meters) @ 93 gpt AgEq
- -- Including 23 meters (true width 17.3 meters) @ 160 gpt AgEq
- 56.0 meters (true width 42.0 meters) @ 61 gpt AgEq
- -- Including 33.0 meters (true width 24.8 meters) @ 79 gpt AgEq
- 12.5 meters (true width 9.4 meters) @ 126 gpt AgEq

Goldplay President and CEO Marcio Fonseca commented, "Our systematic sampling of available core (not previously sampled) has confirmed much wider and continuous mineralization than previous geological modelling part of the historic resource. The width and shallow depth of intersections associated with attractive grades, hosted in wide hydrothermal breccias and favorable topography, continue to reinforce the open pit development potential at San Marcial. The results also reinforce opportunities for future open pit development and upside exploration potential, as sampling is revealing new, wider polymetallic mineralized zones, continuous along strike and down dip, doubling the footprint of the previously modelled mineralized zone. The sampling results together with an updated geological interpretation are being incorporated in a new 3D Geological Model in preparation for a scheduled new resource estimation."

The location of drill holes completed prior to the historical resource and the location of sampled drill holes SM-10-01, SM-10-05, SM-10-10, SM-10-13, SM-10-16, SM-10-17 and SM-10-19 are illustrated below (Figure 1).

The most significant result for this release was returned from drill hole SM-10-01 (Figure 2), which intersected 61 meters grading 93 gpt silver equivalent (AgEq), including a high-grade section of 23 meters grading 160 gpt AgEq.

Drill hole SM-10-05 (Figure 2), intersected 56 meters grading 61 gpt AgEq including 33.0 meters grading 79 gpt AgEq. The following table summarizes the most significant drill intercepts (uncut, undiluted) for this release:

Hole No.	From	To	Interval	True	Ag	Pb Zn	Au	AgEq*	
	(m)	(m)	(m) W	Midth (m)	g/t	% %	g/t	g/t	
SM-10-01	50	111	61.0	47.8	46.8	0.3	}	0.6	0.02
including	60	83	23	17.3	56	2.5		2.6	0.01
SM-10-05	163.1	219.1	56.0	42.0	26	0.2		0.3	0.14
including	163.1	196.1	33.0	24.7	32.9	0.	3	0.5	0.08
SM-10-10	159.9	178	18.1	13.7	16.9	0.2		0.5	0.03
SM-10-13	161.1	164.1	3.0	2.3	50.8	0.	02	0.05	0.12
SM-10-16	50	69	19.0	14.2	42	0.1	(	).3	0.10
SM-10-16	103.4	116.3	12.9	9.7	15	0.9		1.3	0.10
SM-10-17	79.2	150	70.8	53.0	11	0.1	(	).4	0.03
SM-10-19	27	51	24.0	18.0	60	0.2	(	).3	0.03

Note: all numbers are rounded. AgEq (silver equivalent) is calculated from gpt data. AgEq g/t = Ag g/t + Au

27.12.2025 Seite 1/4

g/t x (Ag Price per oz/ Au price per oz) + (Pb grade x ((Pb price per lb./Ag price per oz) x 0.0685714 lbs. per Troy Ounce x 10000 g per %)) +(Zn grade x ((Zn price per lb./Ag price per oz) x 0.0685714 lbs. per Troy Ounce x 10000 g per %)). Ag price per oz (US\$16.50), Au price per oz (US\$1,250), Pb price per lb. (US\$0.95) and Zn price per lb. (US\$1.15) and 100% Metallurgical Recovery.

All the results highlighted in this release support a silver-zinc-lead-gold mineralization hosted in a wide and continuous hydrothermal breccia with evidence of a multi-phase mineralizing event along major northwest oriented faults.

The Company is continuing its drill core sampling program, aiming to complete a NI 43-101 compliant resource estimate during the December 2018 quarter. The receipt of the drilling permits (News Release dated 18 October 2018), provides the Company immediate capability to advance drilling along the 3.5 km mineralized trend, outside the historic resource, with the objective of identifying new discoveries.

In addition to the core sampling program, the Company has re-opened historical underground workings where there is evidence of bonanza style mineralization in the center of the historic resource (Figure 7). A sampling program has been implemented with results expected over coming weeks.

To view the drill hole location map, cross sections and longitudinal section from this news release, please click the following links:

Historical Drill Holes Location Map San Marcial http://goldplayexploration.com/drill-hole-location-map/

Cross Section K-L San Marcial http://goldplayexploration.com/san-marcial-project-section-k-l/

Cross Section M-N San Marcial http://goldplayexploration.com/san-marcial-project-section-m-n/

Cross Section O-P San Marcial http://goldplayexploration.com/san-marcial-project-section-o-p/

Cross Section Q-R San Marcial http://goldplayexploration.com/san-marcial-project-section-q-r/

Cross Section S-T San Marcial http://goldplayexploration.com/san-marcial-project-section-s-t/

Cross Section U-V San Marcial http://goldplayexploration.com/san-marcial-project-section-u-v/

Longitudinal Section San Marcial http://goldplayexploration.com/san-marcial-long-section/

### **QA/QC Protocols**

Thorough QA/QC protocols are followed in all sampling programs and in assays completed by the Company. Goldplay's management includes routine duplicates, blanks and standard samples in assay lots for all surface and drill hole samples. The samples are submitted directly to the SGS laboratory facilities in Durango, Mexico, for sample preparation and assaying. The assaying at SGS is by Fire Assay with AA finish, for Au (> 10 ppm gravimetric finish), Ag ICP-AES with 4 acid digestion (up to 100 ppm). For Ag results over 100 ppm an ICP-AES 4 acid digestion with detection limit from 100-1,000 g/t is completed at SGS laboratories in Vancouver, Canada. For samples with over limits of Zn and Pb (>10,000 ppm), an ICP-AES with Sodium Peroxide Fusion is performed, to improve recovery.

The Qualified Person under the NI 43-101 Standards of Disclosure for Mineral Projects for this news release is Marcio Fonseca, President and CEO of Goldplay, who has reviewed and approved its contents.

# **About Goldplay Exploration Ltd.**

Goldplay owns a >250 sq. km exploration portfolio in the historical Rosario Mining District, Sinaloa, Mexico. Goldplay's current exploration focus includes surface exploration and drilling, with a resource update to

27.12.2025 Seite 2/4

follow at the advanced-stage San Marcial Project and follow up exploration program at the El Habal Project.

The San Marcial land package consists of 1,250 ha, located south of the La Rastra and Plomosas historical mines and 20 km from the Company's 100% owned El Habal Project in the Rosario Mining District, Sinaloa, Mexico. San Marcial is an attractive, near-surface high-grade silver, lead and zinc project for which a historical resource estimate has been previously disclosed.

San Marcial exhibits significant exploration upside supported by regional exploration programs completed by previous operators who identified 14 exploration targets similar to San Marcial within its 100% Goldplay-owned concessions. Some of these exploration targets consist of old shallow pits, caved shafts and historical underground workings in areas with extensive hydrothermal alteration, hosted by major regional structures.

The EI Habal Project is a drilling stage project with an ongoing drill program. The oxidized gold mineralized zone outcrops along a series of rolling hills with evidence of historical shallow underground mining along a 6 km long prospective corridor. The EI Habal Project is located near the historical gold-silver Rosario Mine which reportedly operated for over 250 years. Goldplay's team has over 30 years of experience with senior roles in exploration, financing, and development in the mining industry, including over ten years of extensive exploration experience in the Rosario Mining District, leading to previous successful discoveries. A current NI 43-101 report on the EI Habal Project is filed on SEDAR.

## Disclaimer for Forward-Looking Information

This press release contains forward-looking statements and information that are based on the beliefs of management and reflect the Company's current expectations. When used in this press release, the words "estimate", "project", "belief", "anticipate", "intend", "expect", "plan", "predict", "may" or "should" and the negative of these words or such variations thereon or comparable terminology are intended to identify forward-looking statements and information. Such statements and information reflect the current view of the Company. Risks and uncertainties may cause actual results to differ materially from those contemplated in those forward-looking statements and information. By their nature, forward-looking statements involve known and unknown risks, uncertainties and other factors which may cause our actual results, performance or achievements, or other future events, to be materially different from any future results, performance or achievements expressed or implied by such forward-looking statements. THE FORWARD-LOOKING INFORMATION CONTAINED IN THIS PRESS RELEASE REPRESENTS THE EXPECTATIONS OF THE COMPANY AS OF THE DATE OF THIS PRESS RELEASE AND, ACCORDINGLY, IS SUBJECT TO CHANGE AFTER SUCH DATE. READERS SHOULD NOT PLACE UNDUE IMPORTANCE ON FORWARD-LOOKING INFORMATION AND SHOULD NOT RELY UPON THIS INFORMATION AS OF ANY OTHER DATE. WHILE GOLDPLAY MAY ELECT TO, IT DOES NOT UNDERTAKE TO UPDATE THIS INFORMATION AT ANY PARTICULAR TIME EXCEPT AS REQUIRED IN ACCORDANCE WITH APPLICABLE LAWS.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accept responsibility for the adequacy or accuracy of this press release.

Mr. Marcio Fonseca, P. Geo, President & CEO, Goldplay Exploration Ltd.

### For further information:

Goldplay Exploration Ltd

+1 (604) 202 31 55

Email: info@goldplayexploration.com Website: www.goldplayexploration.com 999 West Hastings Street, Suite 900 Vancouver, British Columbia, V6C 2W2

27.12.2025 Seite 3/4

Dieser Artikel stammt von Minenportal.de
Die URL für diesen Artikel lautet:
https://www.minenportal.de/artikel/266971--Goldplay-continues-to-intercept-new-silver-lead-zinc-gold-mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San-Mineralization-from-sampling-of-historical-core-at-San

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere <a href="AGB/Disclaimer">AGB/Disclaimer</a>!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Minenportal.de 2007-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

27.12.2025 Seite 4/4