

VanadiumCorp reports new high-grade V₂O₅ drill core intercepts^[1] at Lac Doré - 83.6 m grading 0.61% V₂O₅ and 53.64% Fe₂O₃

10.06.2020 | [CNW](#)

VANCOUVER, June 10, 2020 - [VanadiumCorp Resource Inc.](#) (TSX-V: "VRB") ("VanadiumCorp" or the "Company"), is pleased to release the latest assay results for an additional seven drill holes from the Company's summer-fall 2019 infill and extension drilling program at its Lac Doré Vanadium property. Assay results are reported for holes LD-19-009, LD-19-011, LD-19-012, LD-19-014, LD-19-026, LD-19-028, and LD-19-030, bringing the total number of holes with complete assay results received to 31 out of 37 holes drilled in 2019. The Lac Doré Vanadium property is located 27 km east-southeast from the city of Chibougamau, in Eeyou Istchee James Bay Territory, Northern Québec. The Chibougamau area is host to several vanadiferous titanomagnetite (VTM) deposits, including the Southwest and Armitage deposits on the adjacent Blackrock property (BlackRock Mining Inc.) and the South and North Zone deposits on the Mont Sorcier project to the North (Vanadium One Iron Corp).

The 2019 drill program targeted the Company's Lac Doré Vanadium prospect where historical drilling and surface channel sampling conducted between 1958 and 2013 have revealed the presence within property limits of massive, semi-massive and disseminated bands of VTM mineralization along a 2 km long by 200 m wide and minimum 200 m deep corridor.

The Lac Doré Vanadium property lies on the southern flank of the Lac Doré anorthosite complex near Chibougamau and straddles the layered magmatic zone, which hosts the VTM mineralization. This layered magmatic zone has been traced by historical geophysics, drilling and mapping over a linear distance of 20 km.

Highlights:

- Complete assay results received for an additional seven (7) drill holes (Figure 1).
- All seven holes intersected significant VTM mineralization.
- Best intercepts include:
 - Hole LD-19-009 intersected 75.1 m* grading 0.66% V₂O₅, including 57.3 m* grading 0.71% V₂O₅ (Table 1; Figure 2);
 - Hole LD-19-011 intersected 19.0 m* grading 0.73% V₂O₅, including 4.3 m* grading 0.81% V₂O₅ and 3.6 m* grading 0.84% V₂O₅ (Table 1; Figure 3);
 - Hole LD-19-012 intersected 67.4 m* grading 0.63% V₂O₅, including 23.9 m* grading 0.71% V₂O₅, 4.0 m* grading 0.86% V₂O₅, 13.2 m* grading 0.78% V₂O₅, and 3.5 m* grading 0.85% V₂O₅. (Table 1; Figure 4);
 - Hole LD-19-014 intersected 57.6 m* grading 0.67% V₂O₅, including 3.4 m* grading 0.81% V₂O₅, and 7.3 m* grading 0.77% V₂O₅ (Table 1; Figure 5)
 - Hole LD-19-026 intersected 83.6 m* grading 0.61% V₂O₅, including 8.1 m* grading 0.73% V₂O₅, 9.2 m* grading 0.79% V₂O₅, and 6.1 m* grading 0.80% V₂O₅ (Table 1; Figure 6);
 - Hole LD-19-028 intersected 27.9 m* grading 0.70% V₂O₅, including 3.6 m* grading 0.80% V₂O₅ (Table 1; Figure 7);
 - Hole LD-19-030 intersected 30.4 m* grading 0.63% V₂O₅, including 12.4 m* grading 0.73% V₂O₅, and 3.5 m* grading 0.81% V₂O₅ (Table 1; Figure 8);
- Mineralization occurs as layers of massive, semi-massive and disseminated magnetite.

¹ High-grade V₂O intercepts in drill core are defined by the Company as a minimum of 0.6 % V₂O₅ over a minimum true thickness of 0.5 m.

* True thickness. True thicknesses have been estimated by assuming a dip of the layering of 70° to the SE, and the plunge of the drill hole towards the NW (-50° for LD-19-009, -55 for LD-19-011, -45 for LD-19-012 and LD-19-014, -60 for LD-19-026, LD-19-028 and LD-19-030).

Adriaan Bakker, President and CEO of VanadiumCorp, states: "Four out of the seven drill holes whose assay results are being released today have intercepted vanadiferous titanomagnetite (VTM) mineralization grading a minimum of 0.6% V_2O_5 and 50% Fe_2O_3 over true thicknesses of greater than 55.0 m, illustrating the consistency of the grade and thickness of the mineralization at our Lac Doré vanadium prospect. We look forward to more positive results as additional Davis Tube testwork results and final assays from the remaining seven holes drilled in 2019 are released over the coming weeks."

Table 1: Summary of the significant drill hole intersections, with weighted average grades for V_2O_5 , Fe_2O_3 and TiO_2 , intersected core lengths, and estimated true thicknesses.

HOLE-ID	FROM	TO	CORE LENGTH (m)	ESTIMATED TRUE THICKNESS (m)	V ₂ O ₅ (%)	Fe ₂ O ₃ (%)	TiO ₂ (%)	Zone
	(m)	(m)						
LD-19-009	51.0	76.9	25.9	22.4	0.42	52.63	12.56	P2
INCLUDING	65.7	74.0	8.3	7.2	0.51	58.50	14.44	
LD-19-009	81.5	168.2	86.7	75.1	0.66	56.56	11.71	P2
INCLUDING	102.0	168.2	66.2	57.3	0.71	58.01	11.67	
LD-19-009	175.5	194.4	18.9	16.4	0.67	50.75	9.09	P2
INCLUDING	175.5	181.0	5.5	4.8	0.80	58.33	10.28	
AND	191.3	194.4	3.2	2.7	0.77	63.72	12.82	
LD-19-009	204.0	219.0	15.0	13.0	0.57	41.44	6.74	P2
INCLUDING	204.0	206.7	2.7	2.3	0.78	56.10	9.10	
LD-19-009	225.2	228.9	3.7	3.2	0.85	60.23	9.68	P2
LD-19-009	250.3	253.9	3.6	3.1	0.59	43.15	6.52	P1
LD-19-011	58.2	81.9	23.7	19.4	0.42	54.21	13.11	P2
INCLUDING	78.5	81.9	3.4	2.7	0.53	61.39	15.35	
LD-19-011	86.4	118.8	32.4	26.5	0.59	58.65	13.69	P2
INCLUDING	104.5	118.8	14.3	11.7	0.69	63.38	14.44	
LD-19-011	135.2	153.1	17.9	14.7	0.68	56.26	11.50	P2
LD-19-011	161.7	184.9	23.2	19.0	0.73	55.37	10.50	P2
INCLUDING	171.0	176.3	5.3	4.3	0.81	61.21	11.63	
AND	180.5	184.9	4.4	3.6	0.84	61.81	11.31	
LD-19-011	190.8	211.7	20.9	17.1	0.65	47.62	8.19	P2
INCLUDING	190.8	201.2	10.4	8.5	0.76	55.39	9.70	
AND	206.2	209.0	2.8	2.3	0.95	64.72	11.20	
LD-19-011	221.6	232.3	10.7	8.8	0.61	43.73	7.21	P1
INCLUDING	225.5	228.1	2.6	2.1	0.80	57.28	9.44	
AND	231.3	232.3	1.0	0.8	1.00	69.80	11.50	
LD-19-011	238.4	242.0	3.6	2.9	0.84	58.65	9.37	P1
INCLUDING	255.7	264.0	8.3	6.8	0.44	32.21	4.87	P1
LD-19-011	255.7	260.4	4.7	3.9	0.55	39.79	6.04	

LD-19-012	11.4	85.8	74.4	67.4	0.63	51.52	10.39	P2
INCLUDING	23.5	49.9	26.4	23.9	0.71	58.38	12.05	
AND	54.1	58.5	4.4	4.0	0.86	63.67	12.88	
AND	65.2	79.8	14.6	13.2	0.78	56.69	11.01	
AND	81.9	85.8	3.9	3.5	0.85	60.45	11.47	
LD-19-012	90.7	103.5	12.8	11.6	0.68	48.48	8.73	P2
INCLUDING	90.7	97.8	7.1	6.4	0.80	56.61	10.40	
LD-19-012	110.1	117.2	7.1	6.4	0.64	45.04	7.55	P1
LD-19-012	122.0	125.3	3.3	3.0	0.83	56.54	9.40	P1
LD-19-012	141.3	156.5	15.2	13.8	0.48	34.50	5.21	P1
LD-19-012	196.0	200.5	4.5	4.1	0.44	31.67	4.52	P1
LD-19-014	15.7	23.2	7.5	6.8	0.54	55.43	13.28	P2
LD-19-014	30.4	93.9	63.5	57.6	0.67	54.51	11.31	P2
INCLUDING	41.3	45.0	3.8	3.4	0.81	68.91	15.93	
AND	77.0	85.0	8.0	7.3	0.77	57.40	11.03	
LD-19-014	99.6	116.9	17.3	15.7	0.61	45.77	7.86	P1
INCLUDING	99.6	102.5	2.9	2.6	0.85	61.32	10.96	
AND	106.7	109.0	2.3	2.1	0.83	59.73	10.33	
LD-19-014	123.5	132.8	9.3	8.4	0.57	41.59	6.66	P1
LD-19-014	137.7	141.4	3.7	3.4	0.82	57.21	9.16	P1
LD-19-014	157.0	167.6	10.6	9.6	0.50	36.27	5.44	P0
LD-19-014	176.2	178.8	2.6	2.4	0.39	28.65	4.17	P0
LD-19-026	77.9	96.2	18.4	14.1	0.47	56.51	13.93	P2
LD-19-026	101.4	210.5	109.1	83.6	0.61	53.64	11.37	P2
INCLUDING	140.4	151.0	10.6	8.1	0.73	64.91	14.64	
AND	184.0	196.0	12.0	9.2	0.79	59.54	11.48	
AND	201.6	209.5	7.9	6.1	0.80	59.07	10.80	
LD-19-026	217.3	235.9	18.6	14.2	0.66	48.64	8.33	P2
INCLUDING	217.3	222.0	4.7	3.6	0.82	59.96	10.66	
AND	230.1	235.9	5.8	4.4	0.71	51.23	8.62	
LD-19-026	243.5	262.0	18.5	14.2	0.52	36.81	5.97	P1
INCLUDING								

245.3

250.5

AND	257.3	260.7	3.4	2.6	0.78	52.00	8.70
LD-19-026	274.0	287.4	13.4	10.3	0.46	32.67	4.95 P1
INCLUDING	283.2	285.2	2.0	1.5	0.74	51.00	7.66
LD-19-028	88.5	91.3	2.8	2.1	0.53	66.63	16.54 P2
LD-19-028	97.7	120.1	22.4	17.2	0.48	57.96	14.22 P2
INCLUDING	106.5	118.5	12.0	9.2	0.53	61.40	15.31
LD-19-028	129.4	167.4	38.0	29.1	0.59	56.46	12.62 P2
INCLUDING	134.4	138.5	4.1	3.1	0.65	66.05	15.50
AND	143.4	167.4	24.0	18.4	0.69	63.20	14.17
LD-19-028	181.9	218.3	36.4	27.9	0.70	55.98	11.05 P2
INCLUDING	212.5	217.2	4.7	3.6	0.80	60.56	11.40
LD-19-028	220.5	226.9	6.4	4.9	0.77	56.75	10.39 P2
INCLUDING	223.7	226.9	3.2	2.5	0.85	61.82	11.31
LD-19-028	233.4	250.9	17.5	13.4	0.68	49.54	8.47 P2
INCLUDING	233.4	243.5	10.1	7.7	0.76	55.47	9.64
AND	248.4	250.9	2.5	1.9	0.83	59.22	9.96
LD-19-028	256.6	264.3	7.7	5.9	0.58	41.73	6.78 P2
LD-19-028	268.5	270.6	2.1	1.6	0.82	57.56	9.23 P1
LD-19-028	281.7	299.6	17.9	13.7	0.39	28.55	4.25 P1
INCLUDING	282.5	291.3	8.8	6.7	0.50	35.96	5.38
LD-19-030	39.5	43.9	4.4	3.4	0.40	51.81	12.46 P3
LD-19-030	100.2	115.5	15.3	11.7	0.45	49.74	11.54 P2
LD-19-030	124.3	139.2	14.9	11.4	0.57	55.92	12.85 P2
LD-19-030	144.4	184.1	39.7	30.4	0.63	50.30	9.71 P2
INCLUDING	157.5	173.7	16.2	12.4	0.73	56.56	10.80
AND	178.0	182.6	4.6	3.5	0.81	59.90	10.92
LD-19-030	189.8	209.3	19.5	14.9	0.71	51.54	8.84 P1
INCLUDING	189.8	195.0	5.2	4.0	0.83	60.02	10.53
AND	201.0	202.1	1.1	0.8	0.95	67.10	11.80
AND	208.0	209.3	1.3	1.0	0.92	65.90	11.10
LD-19-030	216.0	226.8	10.8	8.3	0.60	43.30	7.07 P0
INCLUDING							

220.1

222.8

AND	225.5	226.8	1.3	1.0	0.95	65.90	10.70
LD-19-030	233.1	237.5	4.4	3.3	0.81	56.73	9.09 P0
LD-19-030	264.3	282.0	17.7	13.6	0.45	32.87	4.92 P0
INCLUDING	264.3	276.0	11.7	9.0	0.55	38.97	5.89

* True thickness. True thicknesses have been estimated by assuming a dip of the layering of 70° to the SE, and the plunge of the drill hole towards the NW (-50° for LD-19-009, -55 for LD-19-011, -45 for LD-19-012 and LD-19-014, -60 for LD-19-026, LD-19-028 and LD-19-030).

- LD-19-009 drilled at -50° to a depth of 276 m
- LD-19-011 drilled at -55° to a depth of 267 m

- LD-19-012 drilled at -45° to a depth of 228 m
- LD-19-014 drilled at -45° to a depth of 178.8 m
- LD-19-026 drilled at -60° to a depth of 291 m
- LD-19-028 drilled at -60° to a depth of 300 m
- LD-19-030 drilled at -60° to a depth of 285 m

2019 exploration program

The summer-fall 2019 exploration program conducted at the Lac Doré Vanadium property was designed by the Company with the aid of mining industry consultants InnovExplo of Val-d'Or, Québec and CSA Global of Vancouver, BC. The exploration program was managed by InnovExplo of Val-d'Or, Québec under the supervision of the Table Jamésienne de Concertation Minière (TJCM) of Chibougamau, Québec.

The infill and extension drilling program was the main component of the 2019 exploration program. Thirty-seven (37) holes were drilled (total: 9,602 m) within the outline of the corridor hosting banded VTM mineralization that was the focus of historic drilling, including 28 holes drilled to map the continuity of VTM mineralization between historic holes (7,649 m), seven (7) holes drilled to twin historic holes (total: 1,551 m) and two (2) holes drilled to confirm the North- Eastern extension (total 402 m). The drilling was carried out by Miikan Drilling Ltd of Chibougamau.

Drill core samples (half-core) are submitted to SGS Canada Inc.'s facilities in Val d'Or and Quebec City, Quebec for preparation. The entire sample is dried as required and crushed to 75% passing 2 mm. A 1000-1500 g subsample is then split out and pulverized to 85% passing 75 µm and ~150 g subsample taken for head assays.

Samples are then shipped to SGS Canada Inc.'s facility at Lakefield, Ontario for Whole Rock Analysis (WRA) performed by X-Ray Fluorescence spectroscopy (XRF). The SGS facilities are ISO/IEC 17025 standard certified for the methods used, and all analytical methods include quality control materials at set frequencies with established data acceptance criteria. The suite of elements analysed includes SiO₂, Al₂O₃, Fe₂O₃, MgO, CaO, Na₂O, K₂O, TiO₂, P₂O₅, MnO, Cr₂O₃, V₂O₅, and Loss on Ignition (LOI).

Strict QA/QC protocols designed by InnovExplo and CSA Global was implemented to ensure the assay results are relevant, reliable and in accordance with industry standards, CIM Mineral Exploration Best Practice Guidelines (CIM Exploration Guidelines, 2018) and National Instrument 43-101 – Standards of Disclosure for Mineral Projects (NI 43-101) disclosure requirements.

The QAQC Protocol is as follows:

- Minimum 5% appropriate VTM standards to be inserted into the sample stream (i.e. 1 standard per 20 samples);
- Minimum 5% blanks to be inserted into the sample stream;
- All coarse rejects and pulps to be collected from the laboratory;
- 5% of pulps to be resubmitted to SGS in later batches as duplicates with new sample numbers;
- 5% of pulps to be submitted to an umpire laboratory.

[Click here to view the figures on the VanadiumCorp website…](#)

The details of the results received from the laboratory are presented in Table 2 (Lengths are expressed along drill core axis. The true thickness was not determined):

Hole Id	From	To	Core length	V ₂ O ₅ (%) High Grade	Grade interval	Fe ₂ O ₃ (%) High Grade	Grade interval
				interval V ₂ O ₅	V ₂ O ₅ (over0.3%)	interval Fe ₂ O ₃	Fe ₂ O ₃ (over45%)
				(over0.6%)			
LD-19-009	51.0	53.0	2.0	0.34	0.42 % over	45.60	52.60
	53.0	55.0	2.0	0.46	25.9 m	55.00	25.90
	55.0	57.0	2.0	0.31		46.80	
	57.0	59.0	2.0	0.40		53.90	
	59.0	60.9	1.9	0.39		53.30	
	60.9	63.0	2.1	0.34		47.10	
	63.0	64.5	1.5	0.37		47.50	
	64.5	65.7	1.2	0.34		41.20	
	65.7	68.0	2.3	0.55	0.51 % over	64.50	58.50 % over
	68.0	70.0	2.0	0.53	8.3 m	60.80	8.3 m
	70.0	72.0	2.0	0.44		51.20	
	72.0	74.0	2.0	0.50		56.60	
	74.0	75.5	1.5	0.41		48.80	
	75.5	76.9	1.3	0.49		58.00	
	81.5	83.5	2.0	0.56	0.66 % over	60.70	56.50
	83.5	85.6	2.1	0.50	86.7 m	56.00	86.70
	85.6	87.0	1.4	0.43		49.10	
	87.0	89.4	2.3	0.56		58.00	
	89.4	91.2	1.9	0.04		12.20	
	91.2	93.0	1.8	0.51		53.70	
	93.0	95.0	2.0	0.56		56.30	
	95.0	97.3	2.3	0.66		65.70	
	97.3	98.3	1.0	0.13		16.80	
	98.3	100.0	1.7	0.56		60.20	
	100.0	102.0	2.0	0.58		58.50	
	102.0	104.0	2.0	0.97	0.71 % over	68.40	58.01 % over
	104.0	105.9	1.9	0.71	66.2 m	66.90	66.2 m
	105.9	106.6	0.7	0.39		42.00	

	106.6	109.0	2.4	0.75	68.60
	109.0	111.0	2.0	0.75	66.40
	111.0	113.0	2.0	0.68	61.50
	113.0	115.0	2.0	0.68	59.20
	115.0	117.0	2.0	0.73	63.10
	117.0	119.0	2.0	0.70	60.80
	119.0	121.0	2.0	0.61	52.60
	121.0	123.0	2.0	0.66	55.10
	123.0	125.0	2.0	0.64	53.60
	125.0	127.0	2.0	0.67	56.30
	127.0	129.0	2.0	0.76	62.60
	129.0	131.0	2.0	0.66	55.50
LD-19-009	131.0	133.0	2.0	0.70	57.40
	133.0	135.0	2.0	0.72	58.90
	135.0	137.0	2.0	0.73	59.60
	137.0	139.0	2.0	0.60	49.20
	139.0	141.0	2.0	0.73	57.80
	141.0	143.0	2.0	0.71	56.60
	143.0	144.6	1.6	0.76	60.30
	144.6	145.3	0.7	0.34	27.30
	145.3	147.0	1.8	0.69	56.20
	147.0	149.0	2.0	0.69	55.90
	149.0	151.0	2.0	0.72	56.70
	151.0	153.0	2.0	0.78	60.60
	153.0	155.0	2.0	0.75	58.10
	155.0	157.0	2.0	0.80	60.80
	157.0	159.3	2.3	0.81	63.30
	159.3	162.7	3.4	0.55	42.40
	162.7	165.0	2.3	0.72	54.70
	165.0	166.5	1.5	0.83	60.40
	166.5	168.2	1.7	0.84	63.10
	175.5				

177.0

0.80 % over

0.67 % over

58.33 % over

	177.0	179.0	2.0	0.80	5.5 m	18.9 m	58.40	5.5 m	18.9
	179.0	181.0	2.0	0.75			54.60		
	181.0	183.0	2.0	0.69			52.00		
	183.0	185.2	2.2	0.86			62.10		
	185.2	187.6	2.4	0.29			23.90		
	187.6	189.1	1.5	0.88			62.40		
	189.1	190.4	1.3	0.19			16.10		
	190.4	191.3	0.8	0.43			32.30		
	191.3	192.8	1.6	0.83	0.77 % over		59.40	63.72 % over	
	192.8	194.4	1.6	0.71	3.2 m		67.90	3.2 m	
	204.0	205.4	1.3	0.62	0.78 % over	0.57 % over	45.70	56.10 % over	41.4
	205.4	206.7	1.3	0.94	2.7 m	15.0 m	66.50	2.7 m	15.0
	206.7	208.5	1.8	0.33			25.90		
	208.5	210.0	1.5	0.55			40.30		
	210.0	211.5	1.5	0.27			20.00		
	211.5	213.0	1.5	0.57			42.10		
	213.0	214.7	1.7	0.86			61.70		
	214.7	216.5	1.8	0.32			23.90		
	216.5	217.9	1.4	0.46			32.70		
	217.9	219.0	1.1	1.01			69.30		
	225.2	227.0	1.8	0.80	0.85 % over		57.20	60.23 % over	
LD-19-009	227.0	228.9	1.9	0.90	3.7 m		63.10	3.7 m	
	250.3	252.0	1.7	0.58		0.59 % over	41.30		43.1
	252.0	253.9	1.9	0.60		3.6 m	44.80		3.6 m
LD-19-011	58.20	60.00	1.80	0.45		0.42 % over	59.60		54.2
	60.00	61.50	1.50	0.40		23.7 m	54.20		23.7
	61.50	63.00	1.50	0.44			58.20		
	63.00	64.50	1.50	0.43			55.90		
	64.50	66.00	1.50	0.42			53.60		
	66.00	67.30	1.30	0.43			57.60		
	67.30	68.60	1.30	0.07			16.80		
	68.60								

70.00

70.00	71.00	1.00	0.43			56.70		
71.00	72.50	1.50	0.47			59.20		
72.50	74.00	1.50	0.47			59.90		
74.00	75.50	1.50	0.42			54.60		
75.50	77.00	1.50	0.37			49.60		
77.00	78.50	1.50	0.40			51.60		
78.50	80.00	1.50	0.54	0.53 % over		63.60	61.39 % over	
80.00	81.85	1.85	0.52	3.4 m		59.60	3.4 m	
86.40	88.00	1.60	0.52		0.59 % over	58.00		58.6
88.00	89.50	1.50	0.50		32.4 m	58.20		32.4
89.50	91.00	1.50	0.47			54.90		
91.00	92.50	1.50	0.50			55.50		
92.50	94.00	1.50	0.45			55.60		
94.00	95.50	1.50	0.48			53.60		
95.50	97.00	1.50	0.53			53.90		
97.00	98.50	1.50	0.51			53.30		
98.50	100.20	1.70	0.62			63.20		
100.20	102.15	1.95	0.59			58.30		
102.15	103.00	0.85	0.10			15.70		
103.00	104.50	1.50	0.58			59.30		
104.50	106.00	1.50	0.62	0.69 % over		62.00	63.38 % over	
106.00	107.50	1.50	0.73	14.3 m		68.40	14.3 m	
107.50	109.00	1.50	0.68			64.00		
109.00	110.50	1.50	0.72			65.80		
110.50	112.00	1.50	0.62			59.00		
112.00	113.50	1.50	0.78			69.90		
113.50	115.00	1.50	0.73			64.30		
115.00	116.50	1.50	0.71			63.30		
116.50	118.80	2.30	0.63			57.10		
135.20	136.50	1.30	0.74	0.68 % over		61.60	56.26 % over	
136.50	138.00	1.50	0.71	17.9 m		60.10	17.9 m	

LD-19-011	138.00	139.50	1.50	0.56				51.70		
	139.50	141.00	1.50	0.59				51.60		
	141.00	142.50	1.50	0.63				52.30		
	142.50	144.00	1.50	0.76				61.90		
	144.00	145.50	1.50	0.66				55.00		
	145.50	147.00	1.50	0.67				55.20		
	147.00	148.50	1.50	0.77				62.80		
	148.50	150.00	1.50	0.63				52.10		
	150.00	151.50	1.50	0.69				55.10		
	151.50	153.10	1.60	0.71				56.40		
	161.70	163.50	1.80	0.78		0.73 % over		59.50		55.3
	163.50	165.00	1.50	0.78		23.2 m		60.30		23.2
	165.00	166.40	1.40	0.72				56.00		
	166.40	168.00	1.60	0.74				57.90		
	168.00	169.50	1.50	0.76				57.90		
	169.50	171.00	1.50	0.74				56.80		
	171.00	172.50	1.50	0.81	0.81 % over			61.50	61.21 % over	
	172.50	174.00	1.50	0.79	5.3 m			59.10	5.3 m	
	174.00	176.30	2.30	0.82				62.40		
	176.30	177.50	1.20	0.40				30.70		
	177.50	179.00	1.50	0.30				24.20		
	179.00	180.50	1.50	0.65				49.60		
	180.50	182.00	1.50	0.83	0.84 % over			61.10	61.81 % over	
	182.00	183.50	1.50	0.77	4.4 m			57.30	4.4 m	
	183.50	184.90	1.40	0.93				67.40		
	190.80	192.50	1.70	0.74	0.76 % over	0.65 % over		56.40	55.40 % over	47.6
	192.50	194.00	1.50	0.86	10.4 m	20.9 m		62.50	10.4 m	20.9
	194.00	195.50	1.50	0.72				52.70		
	195.50	197.00	1.50	0.62				45.70		
	197.00	198.55	1.55	0.75				54.80		
	198.55	200.00	1.45	0.73				52.70		
	200.00									

201.20

	201.20	202.50	1.30	0.22			17.40		
	202.50	204.00	1.50	0.80			56.80		
	204.00	206.20	2.20	0.23			19.20		
	206.20	207.50	1.30	0.88	0.95 % over		62.20	64.72 % over	
	207.50	209.00	1.50	1.01	2.8 m		66.90	2.8 m	
	209.00	210.80	1.80	0.09			16.60		
	210.80	211.70	0.90	0.93			64.50		
	221.60	223.60	2.00	0.76		0.61 % over	54.30		43.7
	223.60	225.50	1.90	0.34		10.7 m	26.60		10.7
	225.50	227.00	1.50	0.75	0.80 % over		53.70	57.28 % over	
LD-19-011	227.00	228.05	1.05	0.88	2.6 m		62.40	2.6 m	
	228.05	230.00	1.95	0.33			24.30		
	230.00	231.30	1.30	0.49			35.00		
	231.30	232.30	1.00	1.00	1.00% over 1.0 m		69.80	69.80% over 1.0 m	
	238.40	240.23	1.83	0.74	0.84 % over		53.00	58.65 % over	
	240.23	242.00	1.77	0.94	3.6 m		64.50	3.6 m	
	255.70	257.00	1.30	0.66	0.55 % over	0.44 % over	44.90	39.79 % over	32.2
	257.00	258.00	1.00	0.27	4.7 m	8.3 m	20.90	4.7 m	8.3 m
	258.00	260.40	2.40	0.61			44.90		
	260.40	261.00	0.60	0.31			21.80		
	261.00	262.50	1.50	0.27			21.10		
	262.50	264.00	1.50	0.32			23.70		
LD-19-012	11.40	13.00	1.60	0.53		0.63 % over	57.80		51.5
	13.00	14.00	1.00	0.51		74.4 m	55.30		74.4
	14.00	15.00	1.00	0.62			63.90		
	15.00	16.40	1.40	0.66			63.90		
	16.40	18.00	1.60	0.03			12.80		
	18.00	19.00	1.00	0.05			11.20		
	19.00	20.50	1.50	0.50			50.50		
	20.50	22.00	1.50	0.67			62.60		
	22.00	23.50	1.50	0.60			58.10		
	23.50								

25.00

1.50

0.75

0.71 % over

58.38 % over

	25.00	26.50	1.50	0.72	26.4 m	63.90	26.4 m
	26.50	28.00	1.50	0.70		62.70	
	28.00	29.50	1.50	0.69		59.30	
	29.50	31.00	1.50	0.71		60.30	
	31.00	32.50	1.50	0.70		59.60	
	32.50	34.00	1.50	0.72		61.00	
	34.00	35.50	1.50	0.71		57.40	
	35.50	37.00	1.50	0.68		56.50	
	37.00	38.50	1.50	0.70		57.40	
	38.50	40.00	1.50	0.69		56.90	
	40.00	41.50	1.50	0.73		59.30	
	41.50	43.00	1.50	0.73		54.70	
	43.00	44.50	1.50	0.57		46.60	
	44.50	46.00	1.50	0.72		58.30	
	46.00	47.50	1.50	0.73		59.10	
	47.50	49.00	1.50	0.73		55.60	
	49.00	49.90	0.90	0.71		53.90	
	49.90	51.00	1.10	0.07		13.90	
	51.00	52.40	1.40	0.08		11.70	
	52.40	54.10	1.70	0.77		57.60	
LD-19-012	54.10	55.50	1.40	0.81	0.86 % over	60.70	63.67 % over
	55.50	57.00	1.50	0.93	4.4 m	68.50	4.4 m
	57.00	58.50	1.50	0.83		61.60	
	58.50	59.50	1.00	0.67		49.90	
	59.50	61.85	2.35	0.04		8.89	
	61.85	63.90	2.05	0.55		44.40	
	63.90	65.20	1.30	0.03		8.99	
	65.20	67.50	2.30	0.88	0.78 % over	64.60	56.69 % over
	67.50	69.00	1.50	0.85	14.6 m	62.80	14.6 m
	69.00	70.50	1.50	0.81		60.00	
	70.50	72.00	1.50	0.76		54.40	
	72.00						

73.50

1.50

73.50	75.00	1.50	0.65			48.00		
75.00	76.50	1.50	0.67			49.60		
76.50	78.00	1.50	0.86			61.90		
78.00	79.80	1.80	0.89			63.00		
79.80	81.00	1.20	0.24			30.00		
81.00	81.90	0.90	0.14			21.60		
81.90	83.50	1.60	0.86	0.85 % over		60.20	60.45 % over	
83.50	85.00	1.50	0.80	3.9 m		58.60	3.9 m	
85.00	85.80	0.80	0.90			64.40		
90.70	92.00	1.30	0.86	0.80 % over	0.68 % over	61.80	56.61 % over	48.4
92.00	93.50	1.50	0.85	7.1 m	12.8 m	60.40	7.1 m	12.8
93.50	95.00	1.50	0.68			48.50		
95.00	96.50	1.50	0.77			55.00		
96.50	97.75	1.25	0.83			58.30		
97.75	99.00	1.25	0.36			26.80		
99.00	100.50	1.50	0.71			51.80		
100.50	102.00	1.50	0.35			27.00		
102.00	103.50	1.50	0.66			46.50		
110.10	111.00	0.90	0.63		0.64 % over	44.00		45.0
111.00	112.50	1.50	0.54		7.1 m	38.70		7.1 m
112.50	114.00	1.50	0.73			51.00		
114.00	115.50	1.50	0.56			39.70		
115.50	117.15	1.65	0.72			50.80		
122.00	123.60	1.60	0.75	0.83 % over		51.80	56.54 % over	
123.60	125.30	1.70	0.90	3.3 m		61.00	3.3 m	
141.30	142.50	1.20	0.45		0.48 % over	31.30		34.5
142.50	144.00	1.50	0.59		15.2 m	41.20		15.2
144.00	145.50	1.50	0.31			23.60		
145.50	147.00	1.50	0.55			40.90		
147.00	148.50	1.50	0.47			33.80		

LD-19-012	148.50	149.70	1.20	0.71		49.30		
	149.70	151.00	1.30	0.18		13.70		
	151.00	152.00	1.00	0.80		56.20		
	152.00	153.50	1.50	0.51		37.60		
	153.50	155.00	1.50	0.30		23.20		
	155.00	156.50	1.50	0.51		35.50		
	196.00	197.50	1.50	0.47	0.44 % over	32.80		31.6
	197.50	199.00	1.50	0.35	4.5 m	25.70		4.5 m
	199.00	200.50	1.50	0.50		36.50		
LD-19-014	15.70	18.00	2.30	0.47	0.54 % over	50.70		55.4
	18.00	20.00	2.00	0.52	7.5 m	55.90		7.5 m
	20.00	21.50	1.50	0.56		54.50		
	21.50	23.20	1.70	0.63		62.10		
	30.40	32.50	2.10	0.62	0.67 % over	61.60		54.5
	32.50	34.00	1.50	0.40	63.5 m	43.50		63.5
	34.00	36.45	2.45	0.16		24.20		
	36.45	39.00	2.55	0.70		63.60		
	39.00	40.70	1.70	0.59		56.80		
	40.70	41.25	0.55	0.03		10.00		
	41.25	43.00	1.75	0.80	0.81 % over	70.40	68.91 % over	
	43.00	45.00	2.00	0.81	3.8 m	67.60	3.8 m	
	45.00	47.00	2.00	0.71		59.60		
	47.00	49.00	2.00	0.75		60.70		
	49.00	51.00	2.00	0.71		59.80		
	51.00	53.00	2.00	0.65		54.40		
	53.00	55.00	2.00	0.71		57.40		
	55.00	57.00	2.00	0.70		58.40		
	57.00	59.00	2.00	0.67		55.30		
	59.00	61.00	2.00	0.69		56.20		
	61.00	63.00	2.00	0.73		58.10		
	63.00	65.00	2.00	0.60		48.40		
	65.00							

67.00

2.00

0.70

	67.00	69.00	2.00	0.75			57.70		
	69.00	71.00	2.00	0.71			55.10		
	71.00	73.00	2.00	0.59			47.50		
	73.00	75.00	2.00	0.71			56.20		
	75.00	77.00	2.00	0.75			57.00		
	77.00	79.00	2.00	0.81	0.77 % over		60.10	57.40 % over	
	79.00	81.00	2.00	0.62	8.0 m		47.40	8.0 m	
	81.00	83.00	2.00	0.80			59.50		
	83.00	85.00	2.00	0.84			62.60		
	85.00	87.50	2.50	0.42			32.80		
LD-19-014	87.50	89.50	2.00	0.61			46.20		
	89.50	92.00	2.50	0.78			57.30		
	92.00	93.90	1.90	0.82			59.60		
	99.60	101.00	1.40	0.84	0.85 % over	0.61 % over	59.20	61.32 % over	45.7
	101.00	102.50	1.50	0.86	2.9 m	17.3 m	63.30	2.9 m	17.3
	102.50	104.00	1.50	0.74			54.20		
	104.00	105.50	1.50	0.60			46.00		
	105.50	106.70	1.20	0.68			50.50		
	106.70	108.00	1.30	0.80	0.83 % over		58.30	59.74 % over	
	108.00	109.00	1.00	0.86	2.3 m		61.60	2.3 m	
	109.00	109.70	0.70	0.12			10.80		
	109.70	111.00	1.30	0.44			33.40		
	111.00	111.80	0.80	0.84			59.10		
	111.80	113.50	1.70	0.32			25.00		
	113.50	114.60	1.10	0.83			59.80		
	114.60	116.30	1.70	0.05			14.90		
	116.30	116.90	0.60	0.90			56.40		
	123.50	125.40	1.90	0.48		0.57 % over	35.50		41.5
	125.40	126.20	0.80	0.95		9.3 m	66.90		9.3 m
	126.20	128.60	2.40	0.47			34.70		
	128.60	130.00	1.40	0.86			62.30		
	130.00								

132.10

	132.10	132.80	0.70	0.95			67.40	
	137.70	139.50	1.80	0.75	0.82 % over	0.82 % over	53.20	57.21 % over
	139.50	141.40	1.90	0.88	3.7 m	3.7 m	61.00	3.7 m
	157.00	158.50	1.50	0.56		0.50 % over	40.30	36.2
	158.50	160.00	1.50	0.40		10.6 m	30.00	10.6
	160.00	162.20	2.20	0.61			43.80	
	162.20	163.15	0.95	0.19			14.30	
	163.15	164.95	1.80	0.73			52.00	
	164.95	166.00	1.05	0.19			16.40	
	166.00	167.60	1.60	0.50			36.40	
	176.20	177.40	1.20	0.46		0.39 % over	32.80	28.6
	177.40	178.00	0.60	0.36		2.6 m	28.00	2.6 m
	178.00	178.80	0.80	0.30			22.90	
LD-19-026	77.85	79.50	1.65	0.40		0.47 % over	48.10	56.5
	79.50	81.00	1.50	0.52		18.4 m	63.70	18.4
	81.00	82.60	1.60	0.23			35.20	
	82.60	84.00	1.40	0.42			55.30	
	84.00	85.50	1.50	0.44			56.40	
	85.50	87.00	1.50	0.43			53.50	
	87.00	88.50	1.50	0.51			60.00	
LD-19-026	88.50	90.00	1.50	0.57			66.00	
	90.00	91.50	1.50	0.47			56.90	
	91.50	93.00	1.50	0.54			61.90	
	93.00	94.50	1.50	0.53			59.90	
	94.50	96.20	1.70	0.57			62.60	
	101.40	102.00	0.60	0.58		0.61 % over	65.50	53.6
	102.00	103.70	1.70	0.10		109.1 m	17.50	109.
	103.70	105.00	1.30	0.49			56.80	
	105.00	106.40	1.40	0.24			32.40	
	106.40	108.00	1.60	0.41			49.10	
	108.00	109.50	1.50	0.42			51.50	
	109.50							

111.00

1.50

49.50

111.00	112.50	1.50	0.52		59.80	
112.50	114.00	1.50	0.52		56.50	
114.00	115.50	1.50	0.43		49.30	
115.50	117.00	1.50	0.54		59.10	
117.00	118.50	1.50	0.51		52.90	
118.50	119.50	1.00	0.54		56.50	
119.50	120.90	1.40	0.61		62.20	
120.90	121.40	0.50	0.07		14.50	
121.40	124.00	2.60	0.54		55.40	
124.00	125.50	1.50	0.65		65.50	
125.50	127.60	2.10	0.65		64.20	
127.60	129.10	1.50	0.15		19.80	
129.10	130.00	0.90	0.21		29.70	
130.00	131.50	1.50	0.69		70.30	
131.50	133.00	1.50	0.60		59.90	
133.00	134.50	1.50	0.67		62.00	
134.50	135.10	0.60	0.08		23.90	
135.10	137.00	1.90	0.67		62.50	
137.00	138.50	1.50	0.73		67.60	
138.50	140.40	1.90	0.51		49.90	
140.40	142.00	1.60	0.75	0.73 % over	68.70	64.91 % over
142.00	143.50	1.50	0.77	10.6 m	68.20	10.6 m
143.50	145.00	1.50	0.77		68.80	
145.00	146.50	1.50	0.72		64.30	
146.50	148.00	1.50	0.70		62.30	
148.00	149.50	1.50	0.72		62.40	
149.50	151.00	1.50	0.70		59.40	
151.00	152.50	1.50	0.65		56.00	
152.50	154.00	1.50	0.66		56.00	
154.00	155.50	1.50	0.62		51.70	

LD-19-026	155.50	157.00	1.50	0.65		54.30	
	157.00	159.25	2.25	0.76		62.50	
	159.25	160.50	1.25	0.52		43.10	
	160.50	161.90	1.40	0.04		14.90	
	161.90	162.60	0.70	0.64		51.80	
	162.60	164.30	1.70	0.05		10.90	
	164.30	166.00	1.70	0.74		59.40	
	166.00	167.00	1.00	0.73		60.00	
	167.00	167.50	0.50	0.69		56.60	
	167.50	169.00	1.50	0.70		56.40	
	169.00	170.50	1.50	0.64		52.30	
	170.50	172.00	1.50	0.75		60.30	
	172.00	173.50	1.50	0.75		59.60	
	173.50	175.40	1.90	0.72		57.50	
	175.40	176.35	0.95	0.38		30.40	
	176.35	178.00	1.65	0.75		60.30	
	178.00	179.50	1.50	0.70		56.30	
	179.50	181.00	1.50	0.73		57.80	
	181.00	182.50	1.50	0.71		55.70	
	182.50	184.00	1.50	0.75		57.90	
	184.00	185.50	1.50	0.86	0.79 % over	65.40	59.54 % over
	185.50	187.00	1.50	0.69	12.0 m	53.40	12.0 m
	187.00	188.50	1.50	0.73		56.20	
	188.50	190.00	1.50	0.81		61.90	
	190.00	191.50	1.50	0.80		61.00	
	191.50	193.00	1.50	0.85		64.20	
	193.00	194.50	1.50	0.72		48.00	
	194.50	196.00	1.50	0.87		66.20	
	196.00	197.10	1.10	0.70		52.80	
	197.10	198.50	1.40	0.49		37.70	
	198.50	200.00	1.50	0.21		17.90	
	200.00						

201.60

1.60

	201.60	202.60	1.00	0.84	0.80 % over		62.80	59.07 % over	
	202.60	203.15	0.55	0.30	7.9 m		24.50	7.9 m	
	203.15	204.50	1.35	0.78			57.50		
	204.50	206.00	1.50	0.87			63.50		
	206.00	207.50	1.50	0.73			54.60		
	207.50	209.50	2.00	0.93			67.80		
	209.50	210.50	1.00	0.39			38.70		
	217.30	219.00	1.70	0.79	0.82 % over	0.66 % over	59.00	59.96 % over	48.6
	219.00	220.50	1.50	0.81	4.7 m	18.6 m	59.80	4.7 m	18.6
	220.50	222.00	1.50	0.85			61.20		
LD-19-026	222.00	224.00	2.00	0.64			47.90		
	224.00	225.50	1.50	0.71			50.80		
	225.50	226.50	1.00	0.05			14.70		
	226.50	228.25	1.75	0.81			57.20		
	228.25	230.10	1.85	0.26			21.10		
	230.10	231.50	1.40	0.89	0.71 % over		63.40	51.23 % over	
	231.50	233.40	1.90	0.34	5.8 m		26.60	5.8 m	
	233.40	234.50	1.10	0.83			59.50		
	234.50	235.90	1.40	0.92			66.00		
	243.50	245.30	1.80	0.45		0.52 % over	33.90		36.8
	245.30	246.90	1.60	0.84	0.68 % over	18.5 m	58.10	48.04 % over	18.5
	246.90	249.30	2.40	0.46	5.2 m		33.50	5.2 m	
	249.30	250.45	1.15	0.91			64.40		
	250.45	252.60	2.15	0.34			24.80		
	252.60	253.50	0.90	1.00			68.80		
	253.50	255.00	1.50	0.17			13.40		
	255.00	257.30	2.30	0.12			11.60		
	257.30	259.00	1.70	0.68	0.78 % over		43.60	52.00 % over	
	259.00	260.70	1.70	0.87	3.4 m		60.40	3.4 m	
	260.70	262.00	1.30	0.33			26.00		
	274.00	275.50	1.50	0.51		0.46 % over	36.50		32.6
	275.50								

278.00

2.50

13.4 m

	278.00	279.65	1.65	0.14		13.20	
	279.65	280.50	0.85	0.56		38.60	
	280.50	281.90	1.40	0.68		47.80	
	281.90	283.20	1.30	0.18		13.90	
	283.20	285.20	2.00	0.74	0.74 over 2.0 m	51.00	51.00 over 2.0 m
	285.20	286.70	1.50	0.20		17.20	
	286.70	287.40	0.70	0.55		39.20	
LD-19-028	88.50	90.00	1.50	0.48	0.53 % over	61.10	66.6
	90.00	91.30	1.30	0.58	2.8 m	73.00	2.8 m
	97.70	99.00	1.30	0.50	0.48 % over	62.90	57.9
	99.00	100.50	1.50	0.46	22.4 m	59.70	22.4
	100.50	102.00	1.50	0.39		53.00	
	102.00	103.50	1.50	0.42		55.40	
	103.50	105.00	1.50	0.40		52.00	
	105.00	106.50	1.50	0.35		44.30	
	106.50	108.00	1.50	0.51	0.53 % over	62.30	61.40 % over
	108.00	109.50	1.50	0.53	12.0 m	62.70	12.0 m
	109.50	111.00	1.50	0.54		62.40	
	111.00	112.50	1.50	0.48		57.30	
	112.50	114.00	1.50	0.52		60.20	
LD-19-028	114.00	115.50	1.50	0.55		62.20	
	115.50	117.00	1.50	0.58		65.20	
	117.00	118.50	1.50	0.50		58.90	
	118.50	120.10	1.60	0.41		51.90	
	129.40	130.70	1.30	0.50	0.59 % over	54.80	56.4
	130.70	132.90	2.20	0.02	38.0 m	11.30	38.0
	132.90	134.40	1.50	0.50		52.40	
	134.40	135.90	1.50	0.62	0.65 % over	63.80	66.05 % over
	135.90	137.40	1.50	0.68	4.1 m	69.00	4.1 m
	137.40	138.50	1.10	0.65		65.10	
	138.50	139.00	0.50	0.14		32.30	
	139.00						

140.10

140.10 141.50 1.40	0.12		14.80	
141.50 142.50 1.00	0.58		58.40	
142.50 143.40 0.90	0.28		33.80	
143.40 144.90 1.50	0.60	0.69 % over	60.80	63.20 % over
144.90 146.40 1.50	0.64	24.00 m	62.70	24.00 m
146.40 147.90 1.50	0.72		67.60	
147.90 149.40 1.50	0.73		67.40	
149.40 150.90 1.50	0.74		68.70	
150.90 152.30 1.40	0.56		54.70	
152.30 153.80 1.50	0.69		64.60	
153.80 155.30 1.50	0.76		68.00	
155.30 156.80 1.50	0.80		70.90	
156.80 158.30 1.50	0.75		65.80	
158.30 159.80 1.50	0.69		61.90	
159.80 161.30 1.50	0.63		58.20	
161.30 162.80 1.50	0.76		65.50	
162.80 164.30 1.50	0.63		55.60	
164.30 165.80 1.50	0.70		60.10	
165.80 167.40 1.60	0.66		58.50	
181.90 183.40 1.50	0.77	0.70 % over	64.60	55.9
183.40 184.90 1.50	0.73	36.4 m	60.70	36.4
184.90 186.20 1.30	0.52		44.20	
186.20 187.90 1.70	0.68		55.50	
187.90 189.40 1.50	0.73		58.80	
189.40 190.90 1.50	0.68		56.20	
190.90 192.40 1.50	0.74		59.90	
192.40 193.90 1.50	0.63		51.50	
193.90 195.40 1.50	0.70		55.30	
195.40 196.90 1.50	0.72		58.50	
196.90 198.40 1.50	0.75		59.00	

LD-19-028	198.40	199.90	1.50	0.63				51.00		
	199.90	201.80	1.90	0.75				58.50		
	201.80	202.30	0.50	0.23				20.20		
	202.30	203.80	1.50	0.72				56.90		
	203.80	205.20	1.40	0.69				57.60		
	205.20	206.80	1.60	0.71				56.20		
	206.80	207.70	0.90	0.60				49.60		
	207.70	208.00	0.30	0.51				41.50		
	208.00	209.50	1.50	0.74				58.10		
	209.50	211.00	1.50	0.78				60.10		
	211.00	212.50	1.50	0.74				55.80		
	212.50	214.00	1.50	0.84	0.80 % over			62.50	60.56 % over	
	214.00	215.50	1.50	0.77	4.7 m			59.60	4.7 m	
	215.50	216.30	0.80	0.88				66.20		
	216.30	216.70	0.40	0.60				46.80		
	216.70	217.20	0.50	0.80				59.60		
	217.20	218.30	1.10	0.50				38.80		
	220.50	221.00	0.50	0.62		0.77 % over		46.80		56.7
	221.00	221.80	0.80	0.82		6.4 m		60.90		6.4 m
	221.80	222.20	0.40	0.21				17.90		
	222.20	223.70	1.50	0.77				57.40		
	223.70	225.20	1.50	0.84	0.85 % over			61.50	61.82 % over	
	225.20	226.90	1.70	0.85	3.2 m			62.10	3.2 m	
	233.40	235.10	1.70	0.68	0.76 % over	0.68 % over		50.90	55.47 % over	49.5
	235.10	236.50	1.40	0.78	10.1 m	17.5 m		56.30	10.1 m	17.5
	236.50	238.00	1.50	0.76				56.40		
	238.00	239.00	1.00	0.70				51.50		
	239.00	239.50	0.50	0.42				31.40		
	239.50	241.00	1.50	0.85				60.60		
	241.00	242.50	1.50	0.77				56.80		
	242.50	243.50	1.00	0.95				67.00		
	243.50									

244.10

0.60

0.08

	244.10 245.30 1.20	0.35			27.90		
	245.30 246.40 1.10	0.88			63.70		
	246.40 247.90 1.50	0.30			23.60		
	247.90 248.40 0.50	0.37			27.30		
	248.40 249.90 1.50	0.85	0.83 % over		61.10	59.22 % over	
	249.90 250.90 1.00	0.79	2.5 m		56.40	2.5 m	
	256.60 257.50 0.90	0.58		0.58 % over	42.30		41.7
	257.50 258.20 0.70	0.91		7.7 m	62.60		7.7 m
	258.20 259.30 1.10	0.27			20.40		
	259.30 260.50 1.20	0.60			43.00		
LD-19-028	260.50 261.60 1.10	0.88			61.90		
	261.60 263.70 2.10	0.35			27.20		
	263.70 264.30 0.60	0.94			66.90		
	268.50 269.00 0.50	0.61	0.82 % over		44.00	57.56 % over	
	269.00 270.60 1.60	0.88	2.1 m		61.80	2.1 m	
	281.70 282.50 0.80	0.34		0.39 % over	26.20		28.5
	282.50 283.40 0.90	0.64	0.50 % over	17.9 m	46.50	35.96 % over	17.9
	283.40 284.90 1.50	0.44	8.8 m		31.50	8.8 m	
	284.90 286.30 1.40	0.59			42.10		
	286.30 286.90 0.60	0.17			13.70		
	286.90 288.30 1.40	0.73			51.60		
	288.30 289.70 1.40	0.35			25.70		
	289.70 291.30 1.60	0.43			32.50		
	291.30 292.70 1.40	0.14			10.70		
	292.70 294.30 1.60	0.39			29.60		
	294.30 295.80 1.50	0.20			16.30		
	295.80 297.50 1.70	0.39			28.90		
	297.50 299.10 1.60	0.16			13.10		
	299.10 299.60 0.50	0.49			33.60		

LD-19-030	39.50	41.00	1.50	0.47	0.40 % over	61.30	51.8
	41.00	42.45	1.45	0.38	4.4 m	51.40	4.4 m
	42.45	43.90	1.45	0.34		42.40	
	100.20	102.00	1.80	0.51	0.45 % over	55.60	49.7
	102.00	103.50	1.50	0.48	15.3 m	56.20	15.3
	103.50	105.00	1.50	0.54		61.10	
	105.00	106.50	1.50	0.46		52.60	
	106.50	108.00	1.50	0.60		66.00	
	108.00	109.50	1.50	0.41		48.80	
	109.50	111.00	1.50	0.55		59.00	
	111.00	113.50	2.50	0.07		12.90	
	113.50	115.50	2.00	0.58		56.60	
	124.30	126.00	1.70	0.61	0.57 % over	62.30	55.9
	126.00	127.50	1.50	0.70	14.9 m	70.30	14.9
	127.50	129.50	2.00	0.62		60.20	
	129.50	131.90	2.40	0.16		20.00	
	131.90	133.50	1.60	0.61		61.30	
	133.50	135.00	1.50	0.67		65.20	
	135.00	136.50	1.50	0.71		65.00	
	136.50	139.20	2.70	0.64		59.30	
	144.40	145.50	1.10	0.69	0.63 % over	58.50	50.3
	145.50	147.00	1.50	0.66	39.7 m	58.20	39.7
	147.00	149.85	2.85	0.66		56.00	
LD-19-030	149.85	151.70	1.85	0.13		15.80	
	151.70	153.30	1.60	0.10		13.80	
	153.30	154.50	1.20	0.73		63.50	
	154.50	156.00	1.50	0.62		51.50	
	156.00	157.50	1.50	0.67		55.50	
	157.50	159.00	1.50	0.73	0.73 % over	58.90	56.56 % over
	159.00	160.50	1.50	0.64	16.2 m	50.90	16.2 m
	160.50	162.00	1.50	0.75		58.60	
	162.00						

163.50

1.50

0.70

163.50	165.00	1.50	0.67			53.10		
165.00	166.50	1.50	0.67			54.40		
166.50	168.00	1.50	0.73			56.30		
168.00	169.50	1.50	0.78			58.70		
169.50	171.00	1.50	0.71			55.40		
171.00	173.65	2.65	0.84			60.60		
173.65	175.30	1.65	0.35			28.10		
175.30	176.70	1.40	0.41			32.00		
176.70	178.00	1.30	0.70			51.40		
178.00	179.50	1.50	0.78	0.81 % over		58.10	59.90 % over	
179.50	181.00	1.50	0.76	4.6 m		56.70	4.6 m	
181.00	182.60	1.60	0.88			64.60		
182.60	184.10	1.50	0.31			33.80		
189.80	192.00	2.20	0.80	0.83 % over	0.71 % over	58.40	60.02 % over	51.5
192.00	193.50	1.50	0.85	5.2 m	19.5 m	60.90	5.2 m	19.5
193.50	195.00	1.50	0.86			61.50		
195.00	196.50	1.50	0.69			49.90		
196.50	198.00	1.50	0.58			43.60		
198.00	199.50	1.50	0.77			56.00		
199.50	201.00	1.50	0.75			54.80		
201.00	202.10	1.10	0.95	0.95 over 1.1 m		67.10	67.10 over 1.1 m	
202.10	203.85	1.75	0.32			25.60		
203.85	204.95	1.10	0.83			58.20		
204.95	206.30	1.35	0.28			22.20		
206.30	208.00	1.70	0.73			51.90		
208.00	209.30	1.30	0.92	0.92 over 1.3 m		65.90	65.90 over 1.3 m	
216.00	217.70	1.70	0.53		0.60 % over	38.60		43.3
217.70	218.60	0.90	0.93		10.8 m	65.50		10.8
218.60	220.10	1.50	0.35			25.60		
220.10	221.70	1.60	0.70	0.75 % over		50.10	53.14 % over	
221.70	222.00	0.30	1.03	2.7 m		71.60	2.7 m	
222.00								

222.80

0.80

	222.80	224.00	1.20	0.29			23.20		
LD-19-030	224.00	225.50	1.50	0.43			31.80		
	225.50	226.80	1.30	0.95	0.95 % over 1.3 m		65.90	65.90 % over 1.3 m	
	233.10	234.50	1.40	0.65	0.81 % over		46.20	56.73 % over	
	234.50	236.00	1.50	0.86	4.4 m		60.30	4.4 m	
	236.00	237.45	1.45	0.91			63.20		
	264.30	266.00	1.70	0.55	0.55 % over	0.45 % over	39.90	38.97 % over	32.8
	266.00	269.00	3.00	0.46	11.7 m	17.7 m	33.00	11.7 m	17.7
	269.00	270.50	1.50	0.52			37.90		
Qualified Persons	270.50	272.00	1.50	0.60			42.30		

The scientific and technical information disclosed in this news release has been prepared, reviewed and approved by Mr. Carl Pelletier, B.Sc., P.Geo. (Québec) from InnovExplo, a consultant to the Company and an Independent Qualified Person under NI 43-101 & #8211; Standards of Disclosure for Mineral Projects.

	276.00	277.40	1.40	0.39			29.40		
About VanadiumCorp Resource Inc.	277.40	279.00	1.60	0.30			23.90		

VanadiumCorp is an integrated technology and mining company focused on developing an exclusive clean energy storage supply chain with XRG® Vanadium redox flow battery technology, jointly owned process technology and it's wholly owned and strategic vanadium resource base in mining friendly Quebec, Canada. The Company's key mining assets contain vanadium, titanium and iron in VTM and include the Lac Doré Project adjacent to Blackrock Metals Inc. and the Iron-T Project near the Glencore (Bracemac-McLeod) Matagami Copper-Zinc Mine.

On behalf of the board of VanadiumCorp:

Adriaan Bakker
President and Chief Executive Officer

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Cautionary & Forward-Looking Statements

This release contains forward-looking statements. All statements other than statements of present or historical fact are forward-looking statements, including statements with respect to the anticipated use of Private Placement proceeds and anticipated receipt of final TSX Venture Exchange acceptance for the Private Placement. Forward-looking statements include words or expressions such as "will", "subject to", "expect" and other similar words or expressions. Factors that could cause future results or events to differ materially from current expectations expressed or implied by the forward-looking statements include general business, economic, competitive, political and social uncertainties; the state of capital markets and risks that may impact the Company's business, operations and financial condition. Although the Company believes that the expectations reflected in these forward-looking statements are reasonable, undue reliance should not be placed on them because the Company can give no assurance that they will prove to be correct. Since forward-looking statements address future events and conditions, by their very nature they involve inherent risks and uncertainties. Additional information on these and other factors that could affect the Company's operations and financial results are included in reports on file with Canadian securities regulatory authorities and may be accessed through the SEDAR website (www.sedar.com). We disclaim any obligation to update or revise these forward-looking statements, except as required by applicable law.

SOURCE [VanadiumCorp Resource Inc.](#)

Contact

Adriaan Bakker, President and CEO, [VanadiumCorp Resource Inc.](https://www.vanadiumcorp.com), (TSX-V: "VRB"), By phone: 1-604-385-4489, By email: ab@vanadiumcorp.com, Website: www.vanadiumcorp.com

Dieser Artikel stammt von [Minenportal.de](https://www.minenportal.de)

Die URL für diesen Artikel lautet:

<https://www.minenportal.de/artikel/309746--VanadiumCorp-reports-new-high-grade-V2O5-drill-core-intercepts1-at-Lac-Dor---83.6-m-grading-0.61Prozent-V2O5>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf/-Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by [Minenportal.de](https://www.minenportal.de) 2007-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).