

Brigadier Gold Ltd. Intercepts 7.63 g/t Gold, 11 g/t Silver and 0.26% Copper Across 0.5 m at Picachos

04.05.2021 | [ACCESS Newswire](#)

Surface Sampling Returns 12.79 g/t Gold and 8 g/t Silver across 1 Metre from El Placer Norte

VANCOUVER, May 4, 2021 - [Brigadier Gold Ltd.](#) (the "Company" or "Brigadier") (TSXV:BRG) (FSE:B7LM) (OTC PINK:BGADF) is pleased to provide additional diamond drill and sampling results from phase one exploration at its Picachos gold-silver project, Sinaloa Mexico (the "Picachos Project", "Picachos" or the "Property"). Brigadier has completed and received assay results for 4538 metres of diamond drilling in 43 holes on the Picachos Project. Assays results for holes 29 through 43 and recent sampling are provided in Table 1.

In March Brigadier hired Eagle Mapping to collect LiDAR data and aerial photographs. Survey flights were completed in April and Brigadier drilled 3 diamond drill holes across El Placer Norte below the Chiveras high-grade workings with results expected in June.

Underground mapping and sampling of La Gloria is in-progress to better understand the results of diamond drill holes DH-BRG-028 and DH-BRG-031. Further, the access road to the collars of DH-BRG-029 and 030 cut across several new historic workings and veins and these are in the process of being mapped and sampled. Surface trenching is planned across El Placer in the southeastern part of the Property, as well as across Salvador and Urrea. The Company is still discovering previously undocumented prospects and workings, which are being systematically mapped and sampled.

Brigadier has received the remaining assays for work completed prior to March 31, 2021 with best result being 12.79 g/t Au and 8 g/t Ag across 1 meter from El Placer Norte (BRG-25131). This includes 0.1 m of 117.45 g/t Au and 57 g/t Ag. This sample line was cut across the Huarache Vein at 1155 m elevation from an historic underground gold mine. Other notable results from El Placer Norte include 38.88 g/t Au and 22 g/t Ag across 0.5 m (BRG-27106) and 12.38 g/t Au and 4 g/t Ag across 0.6 m (BRG-27102). El Placer is a system of veins and veinlets that trends northwesterly and has been mapped for about 4 kilometers across widths of 60 to 200 meters.

From the Cobre area, located about 650 meters northwest of El Placer Norte, sampling has defined three principal veins: El Cobre, El Herrero and Calzadas that define a northwesterly trend that is about 40 meters wide. The best result from the Cobre Vein is 57 g/t Ag, 2.12% Cu and 0.12% Pb across 1.7 m (BRG-26926) from Chinakatera Level 737. About 20 meters below the adit, DH-BRG-038 returned values of 0.73% Cu, 6 g/t Ag and 0.12% Pb across 3 m. El Herrero reported 108 g/t Ag, 3.2% Cu and 0.5% Pb across 2.1 m from Level 755. Calzada Vein contains 148 g/t Ag, 0.33% Cu and 0.26% Pb across 0.7 m from Level 759.

La Cocolmeca Vein was prospected below the Guayabo showing and under the newly discovered Cinco Gramos outcrop located 1.4 kilometers to the northeast. Mechanical trenching with the bulldozer better exposed Cinco Gramos and sample BRG-121612 returned values of 9.59 g/t Au, 48 g/t Ag and 0.31% Cu across 1.4 m. DH-BRG-043 was located next to the showing and returned values of 0.52 g/t Au, 5 g/t Ag and 0.07% Cu across 14.5 m, including 0.5 m of 7.63 g/t Au, 11 g/t Ag and 0.26% Cu. From Guayabo, DH-BRG-032 contains 0.23 g/t Au, 0.09% Cu, 0.07% Pb and 0.22 across 18.5 m, including 3 meters of 0.72 g/t Au, 13 g/t Ag, 0.2% Cu, 0.17% Pb and 0.34% Zn.

National Instrument 43-101 Disclosure

The technical information in this press release has been reviewed by Michelle Robinson, MASc., P.Eng., a Qualified Person as defined by National Instrument 43-101 - Standards of Disclosure for Mineral Projects ("NI 43-101"). Drilling was completed using PQ and HQ tooling. Core and sample handling procedures are documented in the Company's press release dated October 22, 2020. Standard pulps, field duplicates, pulp duplicates and blanks are inserted into the sample stream. The samples were analyzed by SGS Laboratories

in Durango using fire-assay methods for gold, and ICP methods with a 4-acid digestion for silver and base metals. SGS is an accredited laboratory. It is the Qualified Person's opinion that the technical information disclosed in this press release is reliable.

Appendix

Results Table for Q1 2021. DL = Detection Limit. True widths for drill holes (DH) are not estimated as most of the intercepts are from veins and stockworks in the early stages of exploration. Trenches are cut orthogonal to the structures, and trench width = true width.

	From (m)	To (m)	Core or Trench Width (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Mo (ppm)	Bi (ppm)	W (ppm)
DH-BRG-029	9.0	13.0	4.0	0.96	DL	192	2388	402	DL	DL	DL
DH-BRG-029	22.5	23.5	1.0	0.03	3	196	12825	32400	DL	DL	9
DH-BRG-029	58.5	64.0	5.5	0.06	17	1881	1135	4213	DL	12	10
DH-BRG-029	95.0	102.0	7.0	0.35	5	1430	827	1820	DL	5	7
DH-BRG-030	9.0	12.0	3.0	0.74	DL	54	430	526	DL	DL	DL
DH-BRG-030	37.0	51.5	14.5	0.02	3	447	2004	7128	DL	DL	8
DH-BRG-030	124.5	132.0	7.5	0.06	3	275	2144	5585	DL	DL	10
DH-BRG-031	20.5	57.5	37.0	0.47	2	217	1817	4261	DL	3	6
including	20.5	23.0	2.5	0.98	12	987	1820	6680	DL	DL	7
including	26.0	29.0	3.0	1.86	2	222	1402	3351	DL	DL	9
including	33.0	36.0	3.0	0.47	1	90	2392	1898	DL	DL	5
including	40.5	41.5	1.0	0.61	1	34	1195	2751	DL	DL	8
including	44.0	44.5	0.5	1.45	1	348	5145	12800	DL	DL	DL
including	47.5	49.5	2.0	1.89	1	28	1022	2519	DL	DL	DL
including	54.5	57.5	3.0	0.51	6	621	1969	10041	DL	DL	DL
DH-BRG-032	16.0	34.5	18.5	0.23	6	941	737	2176	DL	4	13
including	23.5	26.5	3.0	0.72	13	2009	1665	3395	6	9	35
including	26.5	30.5	4.0	0.18	8	1136	768	2330	DL	5	15
DH-BRG-033	13.5	20.5	7.0	0.10	27	2510	604	1351	2	6	116
including	14.0	14.5	0.5	0.04	169	2231	772	1656	DL	5	1236
including	17.0	18.0	1.0	0.04	41	11548	617	1027	4	23	27
DH-BRG-033	20.5	26.0	5.5	0.02	3	349	971	5017	DL	DL	11
DH-BRG-034	81.5	103.0	21.5	0.30	2	613	496	1447	DL	DL	6

	From (m)	To (m)	Core or Trench Width (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Mo (ppm)	Bi (ppm)	W (ppm)
including	83.0	83.5	0.5	1.25	1	315	296	805	2	DL	DL
including	86.0	87.0	1.0	2.77	1	142	146	124	3	DL	DL
including	88.5	97.5	9.0	0.08	4	1133	614	1978	DL	DL	6
including	98.0	98.5	0.5	1.40	1	240	492	2475	DL	DL	DL
DH-BRG-035	8.0	10.0	2.0	0.01	4	55	10	60	DL	DL	28
DH-BRG-035	35.5	38.0	2.5	0.09	2	190	5656	9350	8	DL	DL
DH-BRG-035	72.0	73.0	1.0	0.02	12	323	523	377	37	28	DL
DH-BRG-035	80.0	80.5	0.5	0.05	18	7745	718	1131	3	27	19
DH-BRG-035	80.5	92.0	11.5	0.05	3	315	1261	3738	DL	DL	DL
DH-BRG-036	54.0	61.0	7.0	0.01	1	746	108	172	1	DL	6
including	59.5	60.0	0.5	DL	4	3103	110	164	1	DL	DL
DH-BRG-036	70.0	70.5	0.5	DL	3	2908	22	53	2	DL	DL
DH-BRG-037	41.0	44.0	3.0	DL	29	63	16	245	2	DL	94
DH-BRG-038	12.0	13.0	1.0	0.01	7	3780	597	81	4	9	DL
DH-BRG-038	25.0	28.0	3.0	0.01	6	7261	1195	181	1	13	DL
DH-BRG-039	3.0	6.0	3.0	DL	2	682	248	462	4	DL	DL
DH-BRG-040	4.0	6.0	2.0	DL	2	579	165	115	DL	DL	DL
DH-BRG-041	32.0	35.0	3.0	DL	3	1908	166	90	1	14	DL
DH-BRG-042	20.0	20.5	0.5	DL	3	1280	331	460	2	DL	DL
DH-BRG-043	6.5	21.0	14.5	0.52	5	712	210	592	1	3	5
including	16.5	17.0	0.5	7.63	11	2601	301	248	3	16	11
BRG-121587	0.0	8.0	8.0	0.02	1	393	104	522	DL	DL	6
BRG-27182	0.0	1.2	1.2	0.29	19	4876	719	4956	2	21	39
BRG-27180	0.0	0.9	0.9	0.09	21	2978	529	171	3	31	39
BRG-26904	0.0	2.8	2.8	0.06	6	2216	1883	6177	2	10	19
BRG-121614	0.0	2.2	2.2	0.20	12	845	1593	921	4	11	15
BRG-121612	0.0	1.4	1.4	9.59	48	3065	411	587	6	10	21

	From (m)	To (m)	Core or Trench Width (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Mo (ppm)	Bi (ppm)	W (ppm)
BRG-121605	0.0	4.9	4.9	0.16	2	269	193	718	DL	DL	DL
BRG-27047	0.0	1.2	1.2	0.01	7	4652	637	2832	2	15	29
BRG-27076	0.0	0.5	0.5	6.32	3	67	225	466	DL	DL	DL
BRG-27137	0.0	0.6	0.6	0.07	10	1427	581	1371	55	9	6
BRG-27140	0.0	0.3	0.3	0.09	28	735	673	150	13	20	DL
BRG-26992	0.0	1.1	1.1	0.02	113	23882	3986	615	4	113	27
BRG-26994	0.0	1.2	1.2	0.02	27	11365	2199	1147	DL	58	21
BRG-26996	0.0	0.9	0.9	0.09	99	34196	4830	4562	DL	208	25
BRG-26863	0.0	2.0	2.0	0.01	2	6052	1422	1025	DL	9	DL
BRG-26863	2.0	7.6	5.6	0.01	3	347	74	101	3	4	DL
BRG-26872	0.0	1.3	1.3	0.02	39	28687	1145	570	DL	77	12
including	0.0	0.3	0.3	0.04	154	107000	868	233	3	309	33
BRG-26874	0.0	1.3	1.3	0.01	19	8061	1121	688	DL	24	9
including	0.0	0.2	0.2	0.04	150	52700	499	182	DL	179	42
BRG-26876	0.0	1.4	1.4	0.03	49	25500	714	214	DL	84	15
BRG-26878	0.0	1.4	1.4	0.01	43	29541	657	362	DL	75	17
including	0.0	0.5	0.5	0.02	113	82600	817	135	2	208	30
BRG-26916	0.0	1.4	1.4	0.01	24	8784	1147	321	DL	55	9
including	0.5	1.0	0.5	0.02	62	20600	2513	454	DL	119	17
BRG-26920	0.0	1.0	1.0	0.01	22	4865	781	404	2	82	8
BRG-26922	0.0	0.9	0.9	0.03	130	37000	970	209	3	134	36
BRG-26924	0.0	0.7	0.7	0.02	15	12200	549	391	DL	44	19
BRG-26926	0.0	1.7	1.7	0.01	57	21252	1160	297	3	52	20
including	0.9	1.4	0.5	0.03	124	40400	982	355	7	97	26
Tunnel 9	4.0	18.0	14	0.01	1	1103	78	235	DL	DL	DL
Tunnel 9	32.2	33.6	1.4	DL	36	9463	3106	9502	3	76	17
BRG-117239	0.0	37.8	37.8	DL	1	367	52	216	DL	3	DL

	From (m)	To (m)	Core or Trench Width (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Mo (ppm)	Bi (ppm)	W (ppm)
including	37.4	37.8	0.4	0.01	27	1180	536	20	3	34	DL
BRG-27039	1.0	5.4	4.4	DL	9	749	163	80	2	52	5
El Herrero	0.0	8.0	8.0	DL	1	1160	173	278	2	DL	DL
El Herrero	8.0	10.1	2.1	0.10	108	32892	5657	327	2	177	23
BRG-27036	1.0	2.4	1.4	0.01	37	1047	3267	267	2	66	11
BRG-27043	0.0	0.9	0.9	0.01	31	1776	3531	92	9	42	17
BRG-27071	0.0	0.7	0.7	0.06	148	3320	2556	201	3	581	35
BRG-27141	0.0	0.6	0.6	0.06	156	3206	13000	1701	3	381	85
BRG-27096	0.0	0.7	0.7	6.25	4	401	10400	3532	1	DL	5
BRG-27095	0.0	0.1	0.1	19.99	11	2264	17800	25700	6	DL	133
BRG-27099	0.0	1.0	1.0	4.07	3	777	4075	10876	DL	DL	19
including	0.0	0.1	0.1	25.04	18	4708	10700	80800	3	DL	74
BRG-27101	0.0	0.7	0.7	7.09	29	675	9784	4637	1	DL	23
BRG-27102	0.0	0.6	0.6	12.38	4	1597	11600	9599	2	DL	62
BRG-25124	0.0	0.6	0.6	3.16	26	1955	2840	7335	4	DL	67
BRG-27106	0.0	0.5	0.5	38.88	22	4212	16700	15100	22	13	538
BRG-27103	0.0	0.6	0.6	13.53	5	399	6003	11130	1	2.5	18
including	0.0	0.2	0.2	36.17	9	435	5790	4800	1	2.5	32
BRG-25126	0.0	0.1	0.1	13.92	12	3882	13800	38500	33	DL	532
BRG-27105	0.0	0.6	0.6	4.75	3	154	5202	7301	DL	DL	14
BRG-27107	0.0	1.6	1.6	2.34	2	76	827	1388	DL	DL	18
BRG-25131	0.0	1.0	1.0	12.79	8	676	9089	9451	DL	DL	16
including	0.0	0.1	0.1	117.45	57	2125	31600	25700	5	DL	29
BRG-26932	0.0	0.4	0.4	7.82	4	438	1760	9190	DL	DL	14
BRG-25138	0.0	0.1	0.1	31.21	12	3297	13700	7645	4	DL	80
BRG-25129	0.0	0.7	0.7	2.82	8	1704	6932	8035	1	DL	27
including	0.0	0.2	0.2	9.39	24	4741	20000	20900	4	DL	79

	From (m)	To (m)	Core or Trench Width (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Mo (ppm)	Bi (ppm)	W (ppm)
BRG-26892	4.5	10.5	6.0	1.07	2	6	24	19	DL	DL	DL
BRG-27199	1.0	6.9	5.9	0.28	3	10	25	27	14	DL	DL
including	5.0	6.9	1.9	0.46	3	12	15	40	10	DL	DL
BRG-27145	0.0	0.7	0.7	0.89	141	1554	1674	1865	5	95	14
including	0.4	0.7	0.3	2.11	305	2871	2418	853	9	243	19

Please visit our website to learn more about Brigadier Gold.

About Brigadier Gold Limited

Brigadier was formed to leverage the next major bull market in the natural resource sector, particularly precious metals. Our mandate is to acquire undervalued and overlooked projects with demonstrable potential for advancement.

Led by a management team with decades of experience in mineral exploration and capital markets development, we are focused on advanced exploration opportunities in politically stable jurisdictions.

For further information, please contact:

[Brigadier Gold Ltd.](http://www.brigadiergold.ca)
www.brigadiergold.ca

Robert Birmingham, Chief Executive Officer
rob@brigadiergold.ca

Leah Hodges, Corporate Secretary
(604) 377-0403

Reader Advisory

This news release may contain statements which constitute "forward-looking information", including statements regarding the plans, intentions, beliefs and current expectations of the Company, its directors, or its officers with respect to the future business activities of the Company. The words "may", "would", "could", "will", "intend", "plan", "anticipate", "believe", "estimate", "expect" and similar expressions, as they relate to the Company, or its management, are intended to identify such forward-looking statements. Investors are cautioned that any such forward-looking statements are not guarantees of future business activities and involve risks and uncertainties, and that the Company's future business activities may differ materially from those in the forward-looking statements as a result of various factors, including, but not limited to, fluctuations in market prices, successes of the operations of the Company, continued availability of capital and financing and general economic, market or business conditions. There can be no assurances that such information will prove accurate and, therefore, readers are advised to rely on their own evaluation of such uncertainties. The Company does not assume any obligation to update any forward-looking information except as required under the applicable securities laws.

Neither the TSX Venture Exchange nor the Investment Industry Regulatory Organization of Canada accepts responsibility for the adequacy or accuracy of this release.

SOURCE: [Brigadier Gold Ltd.](http://www.brigadiergold.ca)

Dieser Artikel stammt von [Minenportal.de](https://www.minenportal.de)

Die URL für diesen Artikel lautet:

<https://www.minenportal.de/artikel/342603--Brigadier-Gold-Ltd.-Intercepts-7.63-g-t-Gold-11-g-t-Silver-and-0.26Prozent-Copper-Across-0.5-m-at-Picachos.htm>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer](#)!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by [Minenportal.de](https://www.minenportal.de) 2007-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).