

Aya Gold & Silver Announces At-Depth High-Grade Drill Results at Zgounder

02.07.2024 | [GlobeNewswire](#)

MONTREAL, July 02, 2024 - [Aya Gold & Silver Inc.](#) (TSX: AYA; OTCQX: AYASF) ("Aya" or the "Corporation") is pleased to announce high-grade silver drill results from its at-depth drill exploration program at the Zgounder Silver Mine in the Kingdom of Morocco.

Highlights (*all intersections are in core lengths*)

- In the Central Zone from the 1,950m level:
 - hole DZG-SF-24-065 intercepted 2,870 grams per tonne ("g/t") silver ("Ag") over 6.5 meters ("m"), including 7,229 g/t Ag over 2.0m
 - hole DZG-SF-24-057 intercepted 1,252 g/t Ag over 4.0m
 - hole DZG-SF-24-070 intercepted 896 g/t Ag over 6.0m, including 3,820 g/t Ag over 1.0m
- In the Western Zone from the 2,000m level:
 - hole DZG-SF-24-027 intercepted 7,631 g/t Ag over 1.5m
 - hole DZG-SF-24-056 intercepted 625 g/t Ag over 14.0m, including 2,677 g/t Ag over 2.0m
 - hole DZG-SF-24-060 intercepted 2,005 g/t Ag over 3.0m
 - hole DZG-SF-24-064 intercepted 403 g/t Ag over 12.5m
 - hole DZG-SF-24-067 intercepted 935 g/t Ag over 8.5m, including 4,440 g/t Ag over 1.5m
- In the Eastern Zone from the 1,950m level:
 - hole DZG-SF-24-082 intercepted 656 g/t Ag over 12.0m, including 928 g/t Ag over 6.0m
- Exploration holes near the granite contact:
 - ZG-SF-24-123 intercepted 5,696 g/t Ag over 2.5m
 - ZG-SF-24-110 intercepted 523 g/t Ag over 13.0m including 4,638 g/t Ag over 1.0m
 - ZG-SF-24-142 intercepted 522 g/t Ag over 14.5m including 1,356 g/t Ag over 4.5m
- 15,200m of the 2024 underground exploration program drilled year to date

"Today's high-grade drill results including hole DZG-SF-24-065 continue to confirm high-grade continuity of silver mineralization at Zgounder," said Benoit La Salle, President & CEO. "These silver-rich intercepts near the granite contact indicate strong resource potential at depth. We currently have four underground rigs turning and will deliver additional results in the coming months."

Included in this release are results for 204 holes, which include 105 underground DDH, 70 T28 and 29 YAK holes (T28 and YAK: percussion drilling using an air-compressed hammer). For a full summary of today's results, refer to Appendix 1.

Table 1 - Significant Intercepts from Drilling at Zgounder (core lengths)

Hole ID	From	To	Ag (g/t)	Length (m)*	Ag x width
Underground DDH					
ZG-SF-24-110	73.5	86.5	523	13.0	6,804
Including	84.5	85.5	4,638	1.0	4,638
ZG-SF-24-123	274.0	276.5	5,696	2.5	14,240

ZG-SF-24-133	59.0	63.5	796	4.5	3,582
Including	59.5	61.0	2,149	1.5	3,224
ZG-SF-24-135	106.5	109.0	1,898	2.5	4,746
ZG-SF-24-142	75.0	89.5	522	14.5	7,568
Including	79.0	83.5	1,356	4.5	6,102
DZG-SF-24-027	69.5	71.0	7,631	1.5	11,446
DZG-SF-24-032	22.5	33.5	319	11.0	3,508
DZG-SF-24-035	15.5	25.5	391	10.0	3,908
DZG-SF-24-035	37.5	49.5	263	12.0	3,155
DZG-SF-24-042	34.5	38.5	767	4.0	3,068
DZG-SF-24-056	15.5	29.5	625	14.0	8,756
Including	26.0	28.0	2,677	2.0	5,354
DZG-SF-24-057	65.0	69.0	1,252	4.0	5,008
DZG-SF-24-059	0.0	17.0	196	17.0	3,330
DZG-SF-24-060	26.0	29.0	2,005	3.0	6,016
DZG-SF-24-064	20.0	26.5	570	6.5	3,704
Including	20.0	24.5	745	4.5	3,352
DZG-SF-24-064	30.5	43.0	403	12.5	5,032
DZG-SF-24-065	79.0	85.5	2,870	6.5	18,652
Including	80.0	82.0	7,229	2.0	14,458
DZG-SF-24-067	16.5	25.0	935	8.5	7,950
Including	23.5	25.0	4,440	1.5	6,660
DZG-SF-24-070	128.5	134.5	896	6.0	5,376
Including	131.0	132.0	3,820	1.0	3,820
DZG-SF-24-073	56.0	63.5	538	7.5	4,032
Including	60.0	62.0	1,690	2.0	3,380
DZG-SF-24-082	4.5	16.5	656	12.0	7,872
Including	9.0	15.0	928	6.0	5,568
Underground T28					
TD28-24-2000-179	0.0	4.8	745	4.8	3,575
Underground YAK					
YAKD-24-1950-010	32.4	45.6	308	13.2	4,061
YAKD-24-1950-026	27.6	46.8	369	19.2	7,078
Including	27.6	31.2	1,247	3.6	4,490
YAKD-24-2100-028	13.2	37.2	219	24.0	5,246
YAKD-24-2100-047	16.8	43.2	235	26.4	6,202

¹ Holes were drilled at various angles; true widths are unknown at this time.

² All assay results are above the cut-off grade of 75 g/t Ag

Figure 1: Location of Drill Results at Zgounder

Quality Assurance

For core drilling, all individual samples represent approximately one meter in length of core, which is halved. Half of the core is kept on site for reference, and its counterpart is sent for preparation and assaying to African Laboratory for Mining and Environment ("Afrilab") in Marrakech, Morocco. All samples are analyzed for silver, copper, iron, lead, and zinc using Aqua regia and finished by atomic absorption spectroscopy ("AAS"). Samples grading above 200 g/t Ag are reanalyzed using fire assaying.

For definition drilling using T28 drilling equipment, all individual samples represent 1.2m in length. Samples

are assayed at either the Zgounder Mine laboratory or at Afrilab. At Afrilab, all samples are analyzed for silver, copper, iron, lead, and zinc using Aqua regia and finished by AAS. Samples grading above 200 g/t Ag are reanalyzed using fire assaying. At ZMSM, all samples are analyzed for silver only using Aqua regia and finished by AAS. Rigorous quality controls (QaQc) are applied at both locations.

David Lalonde, B.Sc. P. Geo, Head of Exploration, is Aya Gold & Silver's Qualified Person and has reviewed this press release for accuracy and compliance with National Instrument 43-101.

About Aya Gold & Silver Inc.

Aya Gold & Silver Inc. is a rapidly growing, Canada-based silver producer with operations in the Kingdom of Morocco.

The only TSX-listed pure silver mining company, Aya operates the high-grade Zgounder Silver Mine and is exploring its properties along the prospective South-Atlas Fault, several of which have hosted past-producing mines and historical resources. Aya's Moroccan mining assets are complemented by its Tijirit Gold Project in Mauritania, which is being advanced to feasibility.

Aya's management team has been focused on maximising shareholder value by anchoring sustainability at the heart of its operations, governance, and financial growth plans.

For additional information, please visit Aya's website at www.ayagoldsilver.com.

Or contact

Benoit La Salle, FCPA, MBA	Alex Ball
President & CEO	VP, Corporate Development & IR
Benoit.lasalle@ayagoldsilver.com	alex.ball@ayagoldsilver.com

Forward-Looking Statements

This press release contains certain statements that constitute forward-looking information within the meaning of applicable securities laws ("forward-looking statements"), which reflects management's expectations regarding Aya's future growth and business prospects (including the timing and development of new deposits and the success of exploration activities) and other opportunities. Wherever possible, words such as "continue", "confirm", "potential", and similar expressions or statements that certain actions, events or results "may", "could", "would", "might", "will", or are "likely" to be taken, occur or be achieved, have been used to identify such forward-looking information. Specific forward-looking statements in this press release include, but are not limited to, statements and information with respect to advancement of the commissioning work according to Aya's plan. Although the forward-looking information contained in this press release reflect management's current beliefs based upon information currently available to management and based upon what management believes to be reasonable assumptions, Aya cannot be certain that actual results will be consistent with such forward-looking information. Such forward-looking statements are based upon assumptions, opinions and analysis made by management in light of its experience, current conditions, and its expectations of future developments that management believe to be reasonable and relevant but that may prove to be incorrect. These assumptions include, among other things, the ability to obtain any requisite governmental approvals, obtaining regulatory permits for on-site work, importing goods and machinery and employment permits, the accuracy of Mineral Reserve and Mineral Resource Estimates (including, but not limited to, ore tonnage and ore grade estimates), the price of silver, the price of gold, exchange rates, fuel and energy costs, future economic conditions, anticipated future estimates of free cash flow, and courses of action. Aya cautions you not to place undue reliance upon any such forward-looking statements.

The risks and uncertainties that may affect forward-looking statements include, among others: the inherent risks involved in exploration and development of mineral properties, including government approvals and permitting, changes in economic conditions, changes in the worldwide price of silver gold and other key inputs, changes in mine plans (including, but not limited to, throughput and recoveries being affected by metallurgical characteristics) and other factors, such as project execution delays, many of which are beyond the control of Aya, as well as other risks and uncertainties which are more fully described in Aya's 2023 Annual Information Form dated March 28, 2024, and in other filings of Aya with securities and regulatory authorities which are available on SEDAR+ at www.sedarplus.ca. Aya does not undertake any obligation to update forward-looking statements should assumptions related to these plans, estimates, projections, beliefs, and opinions change. Nothing in this document should be construed as either an offer to sell or a

solicitation to buy or sell Aya securities. All references to Aya include its subsidiaries unless the context requires otherwise.

Appendix 1 - Mineral Intercepts from Drilling at Zgounder (core lengths)

Hole ID	From	To	Ag (g/t)	Length (m)*	Ag x width
Underground DDH					
ZG-SF-24-110	73.5	86.5	523	13.0	6,804
Including	84.5	85.5	4,638	1.0	4,638
ZG-SF-24-123	235.0	236.5	88	1.5	132
ZG-SF-24-123	274.0	276.5	5,696	2.5	14,240
ZG-SF-24-131	195.0	196.5	1,032	1.5	1,548
ZG-SF-24-131	214.0	215.0	140	1.0	140
ZG-SF-24-131	239.0	240.0	172	1.0	172
ZG-SF-24-133	59.0	63.5	796	4.5	3,582
Including	59.5	61.0	2,149	1.5	3,224
ZG-SF-24-135	100.5	102.0	208	1.5	312
ZG-SF-24-135	106.5	109.0	1,898	2.5	4,746
ZG-SF-24-137	48.0	54.2	311	6.2	1,930
ZG-SF-24-139	178.5	180.0	404	1.5	606
ZG-SF-24-139	184.5	187.5	98	3.0	294
ZG-SF-24-139	205.5	208.5	788	3.0	2,364
ZG-SF-24-141	27.0	28.5	76	1.5	114
ZG-SF-24-142	75.0	89.5	522	14.5	7,568
Including	79.0	83.5	1,356	4.5	6,102
ZG-SF-24-143	191.5	193.0	560	1.5	840
ZG-SF-24-146	71.0	72.5	192	1.5	288
ZG-SF-24-146	83.0	84.5	120	1.5	180
ZG-SF-24-146	92.5	93.0	256	0.5	128
ZG-SF-24-148	239.0	240.0	88	1.0	88
ZG-SF-24-148	281.5	286.0	123	4.5	552
ZG-SF-24-149	122.5	125.0	704	2.5	1,760
ZG-SF-24-149	129.5	131.0	88	1.5	132
DZG-SF-24-027	69.5	71.0	7,631	1.5	11,446
DZG-SF-24-029	33.0	37.5	291	4.5	1,308
DZG-SF-24-029	69.0	70.0	280	1.0	280
DZG-SF-24-030	7.5	9.5	122	2.0	244
DZG-SF-24-030	38.0	44.0	491	6.0	2,946
DZG-SF-24-031	48.0	49.0	96	1.0	96
DZG-SF-24-031	82.0	83.0	212	1.0	212
DZG-SF-24-031	88.5	90.0	80	1.5	120
DZG-SF-24-032	0.0	1.5	82	1.5	123
DZG-SF-24-032	7.5	12.0	200	4.5	902
DZG-SF-24-032	22.5	33.5	319	11.0	3,508
Including	30.5	32.0	897	1.5	1,346
DZG-SF-24-032	40.0	44.0	239	4.0	956
DZG-SF-24-033	0.0	3.0	277	3.0	832
DZG-SF-24-033	14.5	16.0	84	1.5	126
DZG-SF-24-033	19.0	22.0	128	3.0	384
DZG-SF-24-034	14.5	15.5	132	1.0	132
DZG-SF-24-034	83.0	84.0	120	1.0	120
DZG-SF-24-035	0.0	1.0	380	1.0	380

DZG-SF-24-035	15.5	25.5	391	10.0	3,908
Including	18.5	22.5	737	4.0	2,948
DZG-SF-24-035	27.0	28.5	96	1.5	144
DZG-SF-24-035	31.5	33.0	196	1.5	294
DZG-SF-24-035	37.5	49.5	263	12.0	3,155
Including	46.0	47.0	2,044	1.0	2,044
DZG-SF-24-035	72.0	73.5	236	1.5	354
DZG-SF-24-035	78.0	79.0	244	1.0	244
DZG-SF-24-037	0.0	2.5	218	2.5	546
DZG-SF-24-037	17.5	19.0	84	1.5	126
DZG-SF-24-037	20.0	24.5	355	4.5	1,598
Including	22.0	23.5	823	1.5	1,234
DZG-SF-24-037	44.0	49.0	560	5.0	2,800
Including	45.5	47.5	1,178	2.0	2,356
DZG-SF-24-037	55.0	56.5	132	1.5	198
DZG-SF-24-038	13.5	15.0	108	1.5	162
DZG-SF-24-038	40.0	41.0	108	1.0	108
DZG-SF-24-039	0.0	1.0	908	1.0	908
DZG-SF-24-039	7.0	8.5	148	1.5	222
DZG-SF-24-039	14.5	16.0	84	1.5	126
DZG-SF-24-039	20.0	21.0	144	1.0	144
DZG-SF-24-039	39.0	40.5	644	1.5	966
DZG-SF-24-039	64.5	67.5	90	3.0	270
DZG-SF-24-040	45.0	46.5	80	1.5	120
DZG-SF-24-040	68.5	70.5	218	2.0	436
DZG-SF-24-041	1.5	9.0	114	7.5	858
DZG-SF-24-041	13.5	15.0	176	1.5	264
DZG-SF-24-042	1.5	3.0	80	1.5	120
DZG-SF-24-042	4.0	9.5	145	5.5	798
DZG-SF-24-042	21.5	22.5	104	1.0	104
DZG-SF-24-042	34.5	38.5	767	4.0	3,068
DZG-SF-24-042	44.5	47.0	170	2.5	424
DZG-SF-24-042	48.5	50.0	100	1.5	150
DZG-SF-24-044	1.5	2.5	100	1.0	100
DZG-SF-24-044	6.5	7.5	220	1.0	220
DZG-SF-24-044	10.0	11.0	128	1.0	128
DZG-SF-24-044	32.0	38.5	393	6.5	2,552
Including	33.5	36.5	681	3.0	2,042
DZG-SF-24-044	58.0	64.0	142	6.0	852
DZG-SF-24-045	21.0	22.5	196	1.5	294
DZG-SF-24-045	41.0	42.0	184	1.0	184
DZG-SF-24-046	1.5	3.0	124	1.5	186
DZG-SF-24-046	35.5	40.0	100	4.5	450
DZG-SF-24-047	5.5	8.0	105	2.5	262
DZG-SF-24-047	37.5	38.5	80	1.0	80
DZG-SF-24-048	39.0	49.0	115	10.0	1,152
DZG-SF-24-049	13.0	14.0	829	1.0	829
DZG-SF-24-049	21.5	25.0	114	3.5	400
DZG-SF-24-051	6.0	7.5	332	1.5	498
DZG-SF-24-051	55.0	58.0	410	3.0	1,230
DZG-SF-24-052	16.5	19.5	494	3.0	1,482
DZG-SF-24-052	64.0	65.0	144	1.0	144

DZG-SF-24-053	6.5	7.0	668	0.5	334
DZG-SF-24-054	7.5	9.0	716	1.5	1,074
DZG-SF-24-054	43.5	48.0	91	4.5	408
DZG-SF-24-054	76.5	78.5	114	2.0	228
DZG-SF-24-055	34.0	35.5	108	1.5	162
DZG-SF-24-055	40.5	42.0	128	1.5	192
DZG-SF-24-055	44.5	45.0	180	0.5	90
DZG-SF-24-056	0.0	12.5	187	12.5	2,332
DZG-SF-24-056	15.5	29.5	625	14.0	8,756
Including	26.0	28.0	2,677	2.0	5,354
DZG-SF-24-056	32.5	33.5	88	1.0	88
DZG-SF-24-056	38.0	39.5	96	1.5	144
DZG-SF-24-056	55.0	56.0	1,156	1.0	1,156
DZG-SF-24-056	61.5	72.0	245	10.5	2,570
DZG-SF-24-057	21.0	22.5	76	1.5	114
DZG-SF-24-057	55.5	61.0	291	5.5	1,600
DZG-SF-24-057	65.0	69.0	1,252	4.0	5,008
DZG-SF-24-057	82.5	86.0	111	3.5	388
DZG-SF-24-057	92.5	102.0	232	9.5	2,203
DZG-SF-24-057	103.5	105.0	80	1.5	120
DZG-SF-24-058	8.0	11.5	437	3.5	1,530
DZG-SF-24-058	29.5	30.5	160	1.0	160
DZG-SF-24-058	40.5	42.0	96	1.5	144
DZG-SF-24-058	54.0	55.5	136	1.5	204
DZG-SF-24-058	79.0	80.0	76	1.0	76
DZG-SF-24-059	0.0	17.0	196	17.0	3,330
DZG-SF-24-059	57.5	59.0	884	1.5	1,326
DZG-SF-24-059	60.5	61.5	96	1.0	96
DZG-SF-24-060	11.5	12.5	262	1.0	262
DZG-SF-24-060	26.0	29.0	2,005	3.0	6,016
DZG-SF-24-060	37.5	39.0	420	1.5	630
DZG-SF-24-062	0.0	2.0	986	2.0	1,972
DZG-SF-24-062	4.5	5.5	176	1.0	176
DZG-SF-24-062	17.0	18.0	78	1.0	78
DZG-SF-24-062	31.5	33.0	124	1.5	186
DZG-SF-24-062	56.5	57.5	76	1.0	76
DZG-SF-24-062	61.0	62.5	140	1.5	210
DZG-SF-24-063	0.0	16.5	112	16.5	1,848
DZG-SF-24-064	10.5	12.0	148	1.5	222
DZG-SF-24-064	10.5	13.5	260	3.0	780
DZG-SF-24-064	10.5	14.5	231	4.0	924
DZG-SF-24-064	10.5	15.5	260	5.0	1,298
DZG-SF-24-064	20.0	26.5	570	6.5	3,704
Including	20.0	24.5	745	4.5	3,352
DZG-SF-24-064	30.5	43.0	403	12.5	5,032
Including	31.0	33.0	856	2.0	1,712
DZG-SF-24-064	61.5	63.0	88	1.5	132
DZG-SF-24-064	64.5	66.0	80	1.5	120
DZG-SF-24-064	79.5	81.0	140	1.5	210
DZG-SF-24-064	90.0	91.5	148	1.5	222
DZG-SF-24-065	16.5	18.0	148	1.5	222
DZG-SF-24-065	79.0	85.5	2,870	6.5	18,652

Including	80.0	82.0	7,229	2.0	14,458
DZG-SF-24-066	0.0	18.0	139	18.0	2,508
DZG-SF-24-066	36.0	37.5	152	1.5	228
DZG-SF-24-066	70.0	71.3	80	1.3	104
DZG-SF-24-067	12.0	13.5	248	1.5	372
DZG-SF-24-067	16.5	25.0	935	8.5	7,950
Including	23.5	25.0	4,440	1.5	6,660
DZG-SF-24-067	36.5	38.0	132	1.5	198
DZG-SF-24-067	39.5	41.0	100	1.5	150
DZG-SF-24-068	3.0	6.0	235	3.0	706
DZG-SF-24-068	18.0	19.5	416	1.5	624
DZG-SF-24-068	48.0	49.5	372	1.5	558
DZG-SF-24-069	37.5	41.0	466	3.5	1,630
DZG-SF-24-069	61.5	63.0	134	1.5	201
DZG-SF-24-069	69.0	70.5	328	1.5	492
DZG-SF-24-069	79.0	80.0	208	1.0	208
DZG-SF-24-070	24.0	25.5	80	1.5	120
DZG-SF-24-070	34.5	35.5	168	1.0	168
DZG-SF-24-070	36.5	37.5	104	1.0	104
DZG-SF-24-070	105.5	107.5	1,277	2.0	2,554
DZG-SF-24-070	114.5	123.5	180	9.0	1,624
DZG-SF-24-070	128.5	134.5	896	6.0	5,376
Including	131.0	132.0	3,820	1.0	3,820
DZG-SF-24-071	1.5	3.0	80	1.5	120
DZG-SF-24-071	6.0	19.0	225	13.0	2,920
DZG-SF-24-071	23.5	25.5	78	2.0	156
DZG-SF-24-071	43.0	46.0	148	3.0	444
DZG-SF-24-072	24.0	25.5	116	1.5	174
DZG-SF-24-072	48.0	49.5	76	1.5	114
DZG-SF-24-073	56.0	63.5	538	7.5	4,032
Including	60.0	62.0	1,690	2.0	3,380
DZG-SF-24-074	0.0	3.0	112	3.0	336
DZG-SF-24-074	30.5	32.0	168	1.5	252
DZG-SF-24-074	47.0	48.5	388	1.5	582
DZG-SF-24-075	21.0	24.0	344	3.0	1,032
DZG-SF-24-075	96.0	96.5	80	0.5	40
DZG-SF-24-076	30.0	34.5	111	4.5	498
DZG-SF-24-076	39.0	40.5	80	1.5	120
DZG-SF-24-076	42.0	45.0	106	3.0	318
DZG-SF-24-077	21.0	22.5	88	1.5	132
DZG-SF-24-077	58.5	61.0	588	2.5	1,471
DZG-SF-24-077	63.0	64.0	76	1.0	76
DZG-SF-24-077	87.5	90.0	307	2.5	768
DZG-SF-24-078	24.0	26.0	153	2.0	306
DZG-SF-24-078	35.0	36.0	380	1.0	380
DZG-SF-24-078	40.5	42.0	96	1.5	144
DZG-SF-24-078	45.0	46.0	384	1.0	384
DZG-SF-24-078	52.5	53.5	92	1.0	92
DZG-SF-24-078	58.0	59.5	92	1.5	138
DZG-SF-24-079	18.0	26.0	153	8.0	1,226
DZG-SF-24-079	46.5	51.5	545	5.0	2,726
DZG-SF-24-079	54.0	55.0	80	1.0	80

DZG-SF-24-081	55.0	56.5	148	1.5	222
DZG-SF-24-081	68.5	70.0	104	1.5	156
DZG-SF-24-081	79.0	82.0	132	3.0	396
DZG-SF-24-082	4.5	16.5	656	12.0	7,872
Including	9.0	15.0	928	6.0	5,568
DZG-SF-24-082	33.0	34.0	88	1.0	88
DZG-SF-24-085	3.0	6.0	216	3.0	648
Underground T28					
TD28-24-2000-172	8.4	9.6	95	1.2	114
TD28-24-2000-179	0.0	4.8	745	4.8	3,575
TD28-24-2000-188	3.6	6.0	802	2.4	1,924
TD28-24-2030-194	0.0	3.6	125	3.6	450
TD28-24-2030-194	10.8	15.6	123	4.8	592
TD28-24-2030-195	16.8	18.0	76	1.2	91
TD28-24-2125-146	8.4	13.2	365	4.8	1,752
TD28-24-2125-146	19.2	20.4	92	1.2	110
TD28-24-2125-147	9.6	15.6	388	6.0	2,329
TD28-24-2125-150	9.6	12.0	411	2.4	986
TD28-24-2125-151	2.4	4.8	219	2.4	524
TD28-24-2125-157	10.8	16.8	156	6.0	934
TD28-24-2125-158	21.6	25.2	169	3.6	607
TD28-24-2125-169	15.6	18.0	131	2.4	314
Underground YAK					
YAKD-24-1950-009	14.4	18.0	255	3.6	917
YAKD-24-1950-009	27.6	28.8	164	1.2	197
YAKD-24-1950-009	42.0	44.4	133	2.4	319
YAKD-24-1950-010	3.6	6.0	565	2.4	1,356
YAKD-24-1950-010	32.4	45.6	308	13.2	4,061
Including	40.8	43.2	904	2.4	2,170
YAKD-24-1950-011	38.4	40.8	102	2.4	244
YAKD-24-1950-025	9.6	12.0	201	2.4	481
YAKD-24-1950-025	25.2	28.8	201	3.6	725
YAKD-24-1950-025	32.4	40.8	143	8.4	1,201
YAKD-24-1950-026	27.6	46.8	369	19.2	7,078
Including	27.6	31.2	1,247	3.6	4,490
YAKD-24-1950-027	28.8	33.6	272	4.8	1,306
YAKD-24-1950-027	44.4	45.6	132	1.2	158
YAKD-24-2100-028	13.2	37.2	219	24.0	5,246
YAKD-24-2100-029	28.8	31.2	262	2.4	629
YAKD-24-2100-030	13.2	14.4	216	1.2	259
YAKD-24-2100-031	38.4	39.6	364	1.2	437
YAKD-24-2100-033	24.0	25.2	97	1.2	116
YAKD-24-2100-034	13.2	14.4	112	1.2	134
YAKD-24-2100-034	25.2	26.4	100	1.2	120
YAKD-24-2100-034	28.8	33.6	160	4.8	766
YAKD-24-2100-034	36.0	37.2	162	1.2	194
YAKD-24-2100-036	39.6	40.8	504	1.2	605
YAKD-24-2100-036	45.6	48.0	268	2.4	643
YAKD-24-2100-038	13.2	14.4	294	1.2	353
YAKD-24-2100-040	20.4	25.2	422	4.8	2,026
YAKD-24-2100-041	31.2	32.4	116	1.2	139
YAKD-24-2100-041	36.0	37.2	108	1.2	130

YAKD-24-2100-041	38.4	39.6	112	1.2	134
YAKD-24-2100-042	27.6	28.8	140	1.2	168
YAKD-24-2100-042	31.2	32.4	132	1.2	158
YAKD-24-2100-042	46.8	48.0	144	1.2	173
YAKD-24-2100-043	40.8	42.0	128	1.2	154
YAKD-24-2100-044	12.0	13.2	232	1.2	278
YAKD-24-2100-044	36.0	37.2	384	1.2	461
YAKD-24-2100-045	24.0	33.6	250	9.6	2,400
Including	26.4	28.8	620	2.4	1,488
YAKD-24-2100-047	13.2	14.4	144	1.2	173
YAKD-24-2100-047	16.8	43.2	235	26.4	6,202
Including	20.4	24.0	673	3.6	2,424

¹ Holes were drilled at various angles, true widths are not known at this time.

² All assay results are above the cut-off grade of 75 g/t Ag.

Dieser Artikel stammt von [Minenportal.de](https://www.minenportal.de)

Die URL für diesen Artikel lautet:

<https://www.minenportal.de/artikel/537926--Aya-Gold-und-Silver-Announces-At-Depth-High-Grade-Drill-Results-at-Zgounder.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
 Alle Angaben ohne Gewähr! Copyright © by [Minenportal.de](https://www.minenportal.de) 2007-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).