1911 Gold Intersects Multiple Gold-bearing Structures in First-Pass Drilling at the Wallace Project, Rice Lake Property, Manitoba

19.07.2022 | CNW

TORONTO, July 19, 2022 - 1911 Gold Corp. ("1911 Gold" or the "Company") (TSXV: AUMB) (OTCQX: AUMBF) is pleareport assay results from the Company's maiden exploration drilling program at the Wallace Project on the 100%-owned Lake Property in southeast Manitoba.

Highlights:

- First pass drilling intersected several mineralized structures at Wallace, notably 2.9 g/t gold over 4.3 meters (including g/t gold over 1.0 meters) at the Crown-10 target and 1.8 g/t gold over 2.1 meters (including 6.7 g/t gold over 0.6 meters) at the Hi-Grade target
- Nine drillholes, totalling 2,528 metres, tested five targets associated with high-grade gold showings and gold another surficial sediments, including the previously reported 50.3 g/t gold from a rock grab sample taken at the Crown-10 control of the control of

The Company's first pass drilling program at Wallace (Figure 1) was designed to test high-grade quartz veins within five structures in the core of a regional scale fold, in rocks equivalent to the prolific Balmer assemblage in the Red Lake car adjacent Ontario.

The exploration model at Wallace is based on the Red Lake gold deposit in Ontario, which is hosted by age-equivalent comparable geological and structural setting, located 100 kilometres east of the Rice Lake Property. Encouraging gold obtained from all but one of the 2022 drillholes are associated with moderate to strong alteration (silica-biotite/sericite-pwell-developed shear structures cutting strongly-deformed sedimentary rocks intruded by granodiorite, quartz-feldspar gabbro, and ultramafic or lamprophyric dikes.

2022 Exploration Drilling

The Crown-10 Target consists of a north-south shear structure up to 5 metres in width that is exposed for approximatel metres along strike. The structure cuts gabbro and granodiorite, and is intruded by ultramafic or lamprophyric dikes, inc is a deep-seated structure and a potentially significant fluid conduit. Channel samples returned assays up 26.4 g/t gold metres and 5.2 g/t gold over 2.0 metres, including 8.5 g/t gold over 1.2 metres. Three drillholes, totaling 861 metres are roughly 60 metres apart, tested the structure beneath surface gold showings to a vertical depth of approximately 150 m northern-most drillhole, CR-22-003, returned the most significant intercept: 2.9 g/t gold over 4.3 metres, including 10.1 over 1.0 metres.

The Hi-Grade Target is a poorly-exposed structure traced for over 600 metres along strike in widely-spaced bedrock exthat consistently returned gold values, including high-grade values up to 265.1 g/t gold from grab samples of shear-hos veins, and channel sample assays up to 5.6 g/t gold over 1.9 metres, including 9.0 g/t gold over 1.1 metres. Samples of spruce bark collected in overburden-covered areas between gold showings yielded on-trend gold anomalies, suggesting continuity of the zone.

Two drillholes, totalling 562 meters, were completed to test the main surface showing and the unexposed potential exterior indicated by the black spruce bark gold anomaly in an adjacent overburden-covered area, with the latter target yielding significant results. Drillhole HG-22-002 intersected two shear-hosted quartz veins, from 156.4 to 159.2 metres and from 182.6 metres downhole, with the upper vein returning 1.8 g/t gold over 2.1 metres, including 6.7 g/t gold over 0.6 metre interval containing numerous specks of visible gold. The presence of stacked quartz veins with localized high-grade golindicates the significant exploration potential of this previously untested structure.

28.04.2024 Seite 1/3

- (1) Numbering reflects order in which drillholes were planned, rather than sequence of drilling
- (2) Represents drillcore length; true widths are presently unknown
- (3) Weighted-average composites; NSV, no significant values

Four drillholes, totalling 1,105 metres, tested an array of subparallel structures in the western portion of the project area. Although poorly exposed, the structures contain localized high-grade gold and are intruded by ultramafic or lamprophyric dikes, indicating they are relatively deep-seated structures and thus potentially significant fluid conduits. The Willi Target returned the most significant intercept, yielding 0.8 g/t gold over 6.4 metres, associated with laminated quartz veins and disseminated pyrite in strongly sheared granodiorite, in the immediate hangingwall of a sheared interval containing several ultramafic dikes.

2022 Field Exploration Program

Field exploration is ongoing at Wallace to expand detailed mapping, further delineate the prospective structures identified to date, and also evaluate the potential for parallel structures and sites of large-scale dilation suitable to host significant vein systems. With the success in delineating gold-bearing structures through overburden-covered areas at the Hi-Grade target, surficial geochemistry grids are being expanded into similarly prospective ground.

The first-pass drilling in 2022 identified several targets that merit follow-up drilling, currently in planning for Q3-Q4 2022, and the Company anticipates that ongoing field exploration will identify compelling new targets in this highly prospective area.

QA-QC Protocols

Sample handling, preparation and analysis are monitored through the implementation of formal chain-of-custody procedures and quality assurance-quality control (QA-QC) programs designed to follow industry best practices. Drillcore is logged and sampled in a secure facility located in Bissett, Manitoba. Drillcore samples for gold assay are cut in half using a diamond saw and are submitted to Activation Laboratories Ltd. (Actlabs) in Ancaster, Ontario, for preparation by crushing to 80% passing 2 millimetres, riffle splitting to obtain 250-gram aliquots, and pulverizing to 95% passing 106 microns. Pulps are analyzed by a 30-gram fire assay and AAS finish. For assays above 5 g/t Au, a cut of the original pulp is re-assayed with a gravimetric finish. Samples with visible gold are analyzed by metallic screen assay. In addition to Actlabs' in-house QA-QC protocols, 1911 Gold inserts certified standards, non-certified blanks and field duplicates into the sample stream at regular intervals, such that QA-QC accounts for 10% of the total samples submitted. Results are routinely evaluated for accuracy, precision and contamination.

Qualified Person Statement

Technical information in this news release has been reviewed and approved by Dr. Scott Anderson, Ph.D., P.Geo., the Company's Vice President, Exploration, and Qualified Person as defined by Canadian National Instrument 43-101 - Standards of Disclosure for Mineral Projects.

ON BEHALF OF THE BOARD OF DIRECTORS

Shaun Heinrichs President and CEO

About 1911 Gold Corporation

1911 Gold is a junior explorer that holds a highly prospective, consolidated land package totalling more than 58,000 hectares within and adjacent to the Rice Lake greenstone belt in Manitoba, and also owns the True North mine and mill complex at Bissett, Manitoba, where it reprocesses historic tailings on a seasonal basis. 1911 Gold believes its land package is a prime exploration opportunity, with potential to develop a mining district centred on the True North complex. The Company also owns the Apex project near Snow Lake, Manitoba and the Tully and Denton-Keefer projects near Timmins, Ontario, and intends to focus on both organic growth opportunities and accretive acquisition opportunities in North America.

1911 Gold's True North complex and exploration land package are located within the traditional territory of the Hollow Water First Nation, signatory to Treaty No. 5 (1875-76). 1911 Gold looks forward to maintaining

28.04.2024 Seite 2/3

open, co-operative and respectful communication with the Hollow Water First Nation, and all local stakeholders, in order to build mutually beneficial working relationships.

CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION

This news release may contain forward-looking statements. Often, but not always, forward-looking statements can be identified by the use of words such as "plans", "expects" or "does not expect", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate", or "believes", or describes a "goal", or variation of such words and phrases or state that certain actions, events or results "may", "could", "would", "might" or "will" be taken, occur or be achieved.

All forward-looking statements reflect the Company's beliefs and assumptions based on information available at the time the statements were made. Actual results or events may differ from those predicted in these forward-looking statements. All of the Company's forward-looking statements are qualified by the assumptions that are stated or inherent in such forward-looking statements, including the assumptions listed below. Although the Company believes that these assumptions are reasonable, this list is not exhaustive of factors that may affect any of the forward-looking statements.

Forward-looking statements involve known and unknown risks, future events, conditions, uncertainties and other factors which may cause the actual results, performance or achievements to be materially different from any future results, prediction, projection, forecast, performance or achievements expressed or implied by the forward-looking statements. All statements that address expectations or projections about the future, including, but not limited to, statements about exploration plans and the timing and results thereof, are forward-looking statements. Although 1911 Gold has attempted to identify important factors that could cause actual actions, events or results to differ materially from those described in forward-looking statements, there has the included actions actually actions actually actions actually actions actual results and be no assurance that forward-looking statements will prove to be accurate, as actual results and but place aunalusments indeed on forward-looking statements. Accordingly, readers should not place aunalusment indeed on forward-looking statements.

https://www.minenportal.de/artikel/475549-1911-Gold-Intersects-Multiple-Gold-bearing-Structures-in-First-Pass-Drilling-at-the-Wallace-Project-Rice-Lake-Rice-Lake-Rice-Lake-Rice

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der Warn-Indockung statemeets scotten beim Autor/Quelle bzw. bei der Warn-Indockung statemeets scotten beim Autor/Quelle bzw. bei der Warn-Indockung statemeen beim Autor/Quelle bzw. bischarsen seins school indockung statemeen beim Weiner wie der Warn-Indockung statemeen beim Autor/Quelle bzw. beim Autor/Quelle bzw. bischarsen bzw. bischarsen beim Autor/Quelle bzw. bischarsen bzw. bis

AGB/Disclaimer!

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the Reproduction Modification over vewer up der Infalte days of the adequacy of the Exchange accepts responsibility for the adequacy of this release.

SOURCE 1911 Gold Corp.

28.04.2024 Seite 3/3